Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





of the OLD SEED HOUSE

ALFRED BRIDGEMAN

Grower and Importer of and Dealer in

Pegetable, Grass and Flower Seeds

37 EAST 19th STREET

Between Broadway and Fourth Ave.

NEW YORK CITY

USEFUL TABLES

FOR

Gardener and Farmer.

Seed for a Given Number of Plants.

Cabbage , 3,000 plants	Marrow Squash 1 oz. to 30 hills
Cauliflower	Asparagus 60 ft. drill
Celery	Beet
Eggplant 1 " 2,000 "	Carrot
Endive 1 " 3,000 "	0kra
Lettuce	Onion
Pepper	Onion Sets, Small 1 qt. to 50 "
Tomato 1 " 2,000 "	Parsley 1 oz. to 150 "
Pole Beans	Parsnip 1 " 200 "
Corn	Radish 1 " 100 "
Cucumber	Salsify
Watermelon 1 " 30 "	Spinach i '' 100 ''
Muskmelon	Turnip
Pumpkin	Peas
Early Squash 50 "	Dwarf Beans
	2 17 41 12 20 42 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Seed Usually Sown upon One Acre.

Artichoke, Jerusalem 4 bus.	Grass, Hungarian
Barley, broadcast 2 to 3	Grass, Lawn
Beans, Dwarf, in drills 1½ "	Grass Orchard
	Grass, Orchard 2 to 3
Beans, Pole, in hills 8 to 10 qts.	Grass, Rye
Beet, in drills 4 to 5 lbs.	Grass, Timothy
Broom-Corn, in hills4 to 6 qts.	Millet
Buckwheat, broadcast 34 to 1 bus.	Mustard, broadcast 12 to 16 qts.
Cabbage, to transplant 1/4 lb.	Oats, broadcast 2 to 3 bus.
Carrot, in drills 2 to 3 lbs.	Onion, in drills 4 to 6 lbs.
Corn, in hills	Parsnip, in drills 4 to 5
Corn, for soiling 3 bus.	Peas, Early, in drills
Clover, Alsike 5 lbs.	Peas, Marrowfat, in drills 134
Clover Ped clare	Poor broadcast
Clover, Red, alone 20 "	Peas, broadcast
Clover, Red. with Timothy and Red-	rotatoes, cut tubers, in drills 10
top	Radish, in drills 6 to 8 lbs.
Clover, White, alone 8 to 10 "	Rye, broadcast 1½ to 2 bus.
Clover, White, with other seeds 4 "	Salsify, in drills 6 to 8 lbs.
Clover, Lucerne, alone	Spinach, in drills 8 to 10 "
Clover (together) Clover 10 "	Turnip, in drills
Timothy. for . Timothy. 1/4 bus.	Turnip, broadcast 2 to 3 "
Redtop (one acre) Redtop 1	Vetches, broadcast 2 to 3 bus.
	Wheat breadout
	Wheat, broadcast 1½ to 2
Flax, broadcast to 2 bus.	Wheat, in drills

Plants or Trees for One Acre.

Distance apart	Number	Distance apart	Numb	er
6 inches by 6 inches	. 174,240	5 ft. by 5 ft	· · · I,7	12
I ft. by 1 ft	. 43,560	6 ft. by 6 ft	1,21	10
1½ ft. by 1½ ft	. 19,360	8 ft. by 8 ft	6	30
			53	37
2 ft. by 1 ft. 2 ft. by 2 ft. 2½ ft. by 2½ ft. 3 ft. by 1 ft. 3 ft. by 2 ft. 3 ft. by 3 ft. 4 ft. by 4 ft.	. 21,780 . 10,890 . 6,970 . 14,520 . 7,260 . 4,840	9 ft. by 9 ft		37 85 70 70

The Bridgeman Annual Catalogue of Seeds

Diamond Anniversary Edition.

HISTORICAL.

INCE the establishment of the Bridgeman Seed House in 1824 there have been many changes in the topography of the great metropolitan center in which it is located. Some chronicle of these changes may interest readers of our Diamond Anniversary Catalogue.

Thomas Bridgeman, the founder of the business, and the author of "The Young Gardener's Assistant" and other works on vegetables, fruits and flowers, was born in Berkshire, England. Coming as a young man to New York, in 1824 he leased three lots of land on Bloomingdale Road, now 874, 876 and 878 Broadway, and erected greenhouses and seed warehouse thereon. Then the Bowery, now Fourth avenue, and Broadway came together just south of 17th street. At its junction was located Reynold's country store, a hay scale and hay market. About where the Union Square fountain basin is, was a hill upon which stood the Springler farm house, and about where the Washington Monument now stands were the Springler barnyard and stables. East of the Bowery, and north of what are now Fourth avenue and 16th street, was the grand residence of Cornelius T. Williams, with its extensive grounds and deer park. Next and north of it was Job Sniffin's extensive cow pasturage and corn-fodder farm!

In those old days 21st street from Bloomingdale Road west to the North River was called Love Lane. A little south of this lane was a large area of meadow land having much the same appearance as the present Newark and Hoboken salt meadows, and noted for malarial fevers, mosquitoes, frogs and bugs. It extended south along the Hudson River to Greenwich Ditch, then navigable for rafts and row boats to what is now our Jefferson Market. From there it extended due north and then easterly to Stiefel & Veronei's Sugar Refinery. This land, then owned by Nicholas Stiefel, is now occupied by the famous stores of Arnold, Constable & Co.

In 1839 Alfred Bridgeman, having become master of the business, purchased the greenhouse and plant trade of his father; but the old seedhouse on Bloomingdale Road was carried on by its founder until his death, in 1850. Then his son Alfred also bought all interest in the seed trade, rented 880 Broadway, and fitted it up for an office and floral depot. Soon thereafter he purchased several acres of land at Astoria, now in the borough of Queens, of the "Greater New York," and moved his greenhouse and nursery business to that place. This trade is now carried on by George Lorenz on his own account and partly in connection with the plant and nursery interests of the Bridgeman seed house.

CINERARIA HYBRIDA GRANDIFLORA SANGUINEA.

An exceedingly fine new variety of the large-flowering class of Cinerarias, the color being of a rich blood-red. Pkt. 50 cts.



Dianthus Heddewigii albus, Queen of Holland.

DATURA CORNUCOPIA. (Horn of Plenty.)

The plant is of a very robust habit. The stem is thick, dark brown-purple, shining as if varnished. The branches are numerous, spreading symmetrically 3 or 4 feet in every direction. The leaves are large, of a dark green color. The flowers are trumpet-shaped, measuring 8 to 10 inches in length and 5 to 7 across the mouth, and thus form three distinct flowers growing each within the other; the throat and mouth of the corolla are a delicate French white, beautifully contrasted and marbled with royal purple on the outside. Pkt. 10 cts., 0z. 75 cts.

DIANTHUS HEDDEWIGH ALBUS, QUEEN OF HOLLAND.

A new Dianthus, bearing splendid, evenedged flowers of a lustrous pure white. Excellent for cutting. Pkt. 25 cts.

HEUCHERA ALBA.

New. A valuable variety of the well-known *H. sanguinea*. The long, slender flower-stalks are thickly clothed with pure white, long-lasting flowers, which through their elegant appearance are highly effective in the border, and also very useful for bouquets. Pkt. 25 cts.

HOLLYHOCK, ALLEGHENY.

A decided improvement over the old-fashioned variety. Flowers fringed, chrysanthemum-shaped, 5 to 7 inches across; flowers until frost. Finest mixed. Pkt. 25 cts.

IMPERIAL JAPANESE MORNING-GLORY.

A new class of Morning-Glory from Japan. The flowers are of exquisite beauty in form

and coloring, and of enormous size, often 5 to 6 inches in diameter. They are easily cultivated, and grow rapidly to a height of 30 or 40 feet. The colors are striped, penciled and bordered in infinite variety and diversity. The foliage also is often prettily variegated. Pkt. 10 cts.

MIGNONETTE, GOLDEN MACHET.

The plants are of strong, compact growth, with large crinkled leaves, and bear long, massive spikes of golden yellow blossoms; excellent for pots or forcing. Pkt. 20 cts.

NASTURTIUM, LILLIPUT.

An entirely new class of dwarf Nasturtiums; the plant is in every respect smaller than the Tom Thumb. The dainty little flowers, produced in the greatest profusion, and peeping up well above the small cut and bushy foliage, make it one of the prettiest of annuals. Pkt. to cts.

TROPÆOLUM LOBBIANUM, GOLDEN QUEEN.

A new variety, bearing flowers of a pure golden yellow, without any spots. A valuable introduction. Pkt. 25 cts.



Imperial Japanese Morning-Glories.

Specialties in Vegetable Seeds.

Valentine Wax. This is an improved Extra Early Valentine Bean with round wax pods. It grows about 15 inches high, with a strong stalk and an abundance of foliage remarkably free from rust. Beans planted June 18

produced pods 4 inches long by July 21. The pods are very meaty and almost stringless. Qt. 25 cts., pk. \$1.25.

Canadian Wonder Bush. The pods are flat and green in color. Excellent as a snap Bean, and one of the best for cooking when ripe. Qt. 30 cts.

BEETS.

Columbian Turnip. A round, smooth-skinned variety, with deep blood-red flesh. Very early and of the finest quality. Oz. 10c., lb. 60c.

Extra Early Eclipse. The tops are very small, roots smooth and globe-shaped; flesh deep crimen very fine grained and remorkably sweet.

crimson, very fine-grained and remarkably sweet. Oz. 10 cts., lb. 50 cts.

CARROT, HALF-LONG RED CARENTAN.

A slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 15 cts., lb. \$1.



Valentine Wax Bean.

CAULIFLOWER, ERFURT EXTRA EARLY DWARF,


The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Pkt. 50 cts., oz. \$6.

CELERY, FIN DE SIÈCLE.

It is not a sport or hybrid, white or yellow, but a common green Celery of the old familiar kind. But it has a pedigree and breeding, and traditions, and a name which it must preserve. After growing to a great size it lends itself to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. It has also proved to be the largest, hardiest, solidest, crispest, best keeper and best shipping winter Celery we know of. Oz. 40 cts.

CORN, CHAMPION SWEET.

This Corn is without doubt the earliest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 25 cts., pk. \$1.



Buttercup Lettuce.

CUCUMBER, TAILBY'S HYBRID.

A White-spined crossed with an English Frame variety. It grows larger than White-spined, and is one of the most valuable in its class for open air cultivation. Oz. 15 cts., lb. 75 cts.

LETTUCE.

Buttercup. A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts., lb. \$1.25.

Salamander, or Satisfaction. One of the best summer kinds. It is of dwarf habit, and makes a solid head; quality extra good. Oz. 20 cts., lb. \$1.25.

MUSTARD, CHINESE.

An excellent plant for greens, producing an enormous amount of herbage. The leaves have an agreeable flavor when cooked like ordinary spinach. Oz. 10 cts., lb. 75 cts.

PEAS.

Duke of York. This splendid new wrinkled Pea is the most distinct and valuable that has been introduced for years. It is of robust growth, very large, long and full-podded, and of the highest flavor. Height, 3 feet. Qt. 30 cts.

The Queen. A new wrinkled variety; pods very large, produced mostly in pairs. The Peas are large and of delicious flavor. Qt. 30c.

Heroine. This is a medium early, and grows uniformly from 2 to 2½ feet high. It comes in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing 9 or 10 large Peas

of the finest quality. Qt. 30 cts.

POTATO, NEW WHITE PEACH-BLOW.

This is a seedling of the old "Excelsior," which has always been considered the standard for quality, as well as the latest keeper known. In table quality this new seedling is fully equal to its parent, which is the very highest recommendation that could be given it. The flesh, as well as the skin, is of extreme whiteness. It is very dry when cooked, and does not fall in pieces, as most dry varieties do. It is the freest from scab of any variety we have any knowledge of. It has been, so far, entirely free from rot. There has never yet been a hollow-hearted one found among them. The vines make a very heavy, luxuriant growth. The flower is large and purple. In growth, quality and general appearance, this variety resembles the old and once popular "White Peach-blow," but it will yield very much more, and is earlier in ripening. Pk. 85 cts., bus. \$2.50, bbl. \$4.50.




Long White Icicle Radish.

RADISHES.

Long White Icicle. New. A pure white long Radish of quick growth and delicate flavor. Pkt. 20 cts.

Pkt. 20 cts.

Scarlet Globe. New. Excellent for frame, and has short leaves, brilliant red; fine flesh, white, tender and crisp. Grows quickly, and takes up little room. Oz. 15 cts., lb. \$1.



In size twice as large as the ordinary variety. The roots are smooth; flesh fine-grained and of pleasant flavor. Oz. 20 cts., lb. \$1.50.

SPINACH.

Victoria. This new variety is distinguished for its exceedingly dark, black-green color, and also for its very long-standing qualities. Leaves thick, good for spring sowing. Lb. 50 cts. Long Standing. Thick, dark green leaves of compact

Long Standing. Thick, dark green leaves of compact growth, standing longer than any other sort before running to seed. Lb. 50 cts.

TURNIP, WHITE EGG-SHAPED.

A very beautiful autumn-growing kind. Its skin is perfectly smooth; flesh very white, sweet and fine-grained. Oz. 10c., lb. 50c.


UPLAND CRESS.

This hardy perennial thrives on any soil, and has the identical flavor of true water cress. Oz. 50 cts.

COLLECTIONS OF

Select Vegetable Garden Seeds.

STANDARD SORTS	No. I.	No. 2.	No. 3.	No. 4.	No. 5.
For Family Use, in quantities to suit Small or	\$5.	\$9.	\$12.	\$16.	\$20.
Large Gardens, as follows:	Contains	Contains	Contains	Contains	Contains
Beans Early Valentine Bush	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
"Black Wax Bush	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
"Refugee Bush	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
"Large White Lima Pole	ī pt.	ı pt.	ı qt.	3 qts.	2 qts.
Beet Extra-early Turnip	I OZ.	2 OZ.	4 OZ.	4 oz.	8 oz.
" Early Blood Turnip	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cabbage Early Oxheart	pkt.	1/2 OZ.	1/2 OZ.	½ OZ.	I OZ.
" Early Winnigstadt	pkt.	1/2 OZ.	1/2 OZ.	I OZ.	I Oz.
"Large Late Drumhead	pkt.	1/2 OZ.	I OZ.	I OZ.	I OZ.
"Drumhead Savoy	pkt.	1/2 OZ.	1/2 OZ.	1/2 OZ.	I OZ.
"Red, or Pickling	pkt.	pkt.	pkt.	½ OZ.	I OZ.
CauliflowerParis Nonpareil	pkt.	1/4 OZ.	1/2 OZ.	1/2 OZ.	I OZ.
Carrot Early Orange, or Horn	I OZ.	2 OZ.	2 OZ.	4 OZ.	8 oz.
"Long Orange	I OZ.	2 OZ.	4 oz.	S oz.	8 oz.
CressCurled, or Pepper Grass	I OZ.	2 OZ.	2 OZ.	2 OZ.	4 oz.
Corn Early Sugar	½ pt.	ı pt.	r qt.	r qt.	2 qts.
" Mammoth Sugar	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
"Stowell's Evergreen	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
Celery Early White Solid	pkt.	1/2 OZ.	I OZ.	I OZ.	I Oz.
CucumberEarly Russian	pkt.	I OZ.	I OZ.	2 OZ.	4 Oz.
"Long Green	I OZ.	I OZ.	2 OZ.	2 OZ.	4 OZ.
Egg-plantImproved N. Y. Purple	pkt.	¼ oz.	¼ oz.	1/2 OZ.	1/2 OZ.
Endive Green Curled	pkt.	1/2 OZ.	1/2 OZ.	I OZ.	I OZ.
Kohlrabi Early White Vienna	pkt.	¼ oz.	½ OZ.	I OZ.	I OZ.
Kale Green Curled Scotch	pkt.	I OZ.	I OZ.	I OZ.	I OZ.
LettuceEarly Curled Silesia	pkt.	1/2 OZ.	½ OZ.	I OZ.	I OZ.
" Early Tennisball	pkt.	1/2 OZ.	I OZ.	I OZ.	I OZ.
"Large Butter-head	pkt.	½ OZ.	I OZ.	I OZ.	2 OZ.
Leek Large Flag	pkt.	½ OZ.	I OZ.	I OZ.	2 OZ.
Melon Orange Christina	pkt.	½ OZ.	I OZ.	2 OZ.	4 OZ.
"Green Citron (netted)	pkt.	I OZ.	I OZ.	2 OZ.	4 oz.
	I OZ.	I OZ.	2 OZ.	4 oz.	4 oz.
OnionExtra-early Red	½ OZ.	I OZ.	2 OZ.	2 OZ.	4 OZ.
"White Portugal	1/2 OZ.	I OZ.	2 OZ.	2 OZ.	4 oz.
PeasCarter's "First Crop"	ı pt.	ı qt.	2 qts.	2 qts.	2 qts.
"Laxton's Alpha	ı pt.	ı qt.	ı qt.	2 qts.	2 qts.
McDean's Little Gem	ı pt.	ı qt.	ı qt.	ı qt.	2 qts.
McLean 5 Maraneer	ı pt.	r qt.	ı qt.	r qt.	2 qts.
Champion of England	I pt.	ı qt.	2 qts.	2 qts.	2 qts.
Parsley Extra Curled	pkt.	I OZ.	I OZ.	2 OZ.	2 OZ.
PepperSweet Mountain	pkt.	1/4 OZ.	½ OZ.	I OZ.	I OZ.
Radish Long Scarlet	I OZ.	I OZ.	2 07.	4 OZ.	S oz.
" Ped Turnin or Cherry	pkt.	2 OZ.	2 OZ.	4 OZ.	4 OZ.
"Red Turnip, or Cherry "Chinese Winter	pkt.	2 OZ.	4 OZ.	4 OZ. 2 OZ.	8 oz.
Salsify Long White	pkt. ½ oz.	I OZ.	2 OZ. I OZ.	2 OZ.	4 OZ.
SquashEarly Bush	1 OZ.	1 OZ.	2 OZ,	2 OZ.	4 OZ.
"Hubbard Winter	I OZ.	I OZ.	2 OZ.	4 OZ.	4 OZ.
Spinach Round-leaved Flanders	4 OZ.	6 oz.	8 oz.	8 oz.	1 lb.
TomatoEarly Red Smooth	pkt.	1/2 OZ.	½ oz.	I OZ.	I OZ.
"The Trophy	pkt.	½° OZ.	1/2 OZ.	I OZ.	I OZ.
TurnipWhite Dutch	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
"Yellow Stone	I OZ.	2 OZ.	4 OZ.	S oz.	S oz.



ground until settled warm weather.

A † denotes half-hardy sorts, which are subject to risk when frost prevails.

The names printed in smaller Roman type are identically the same or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 26 to 28. For New Vegetable Seeds, etc., see pages 5 and 6.

TARTICHOKE.

Artichaut, Fr. Artijoode, Ger. Alcachofa, Sp.
Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

Per oz. Qt.
French, or Green Globe....\$0 40

French, or Green Globe....\$0 40 Jerusalem.....pk., \$1.25.. \$0 25

ASPARAGUS.

Asperge, Fr. Spargel, Ger. Esparragos, Sp.



Conover's Colossal.

Seeds should be sown in the spring, or roots planted in the spring or autumn.

Palmetto. Oz. roc., 4 ozs. 25 cts.

Conover's Colossal. Produces very large, thick, tender, luscious stalks in great quantities. Oz. 10 cts., 4 ozs. 20 cts., lb. 50 cts.

ASPARAGUS ROOTS

A saving of one to two years is effected by planting roots. Those offered below are strong 2-year-old roots. For private use, the beds should be formed 5 feet wide with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.

Palmetto, 2 years old.......\$0 75 \$6 00 Conover's Colossal, 2 years old....... 75 6 00

BEANS.

†DWARF or BUSH.

Haricot, Fr. Bohnen, Ger. Frijole nano, Sp.

Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

The second secon	I		
	qt.		
*Extra Early Valentine\$0			
*Long Yellow Six Weeks			
*Early Mohawk	25	I	25
Early China Dwarf	25	I	25
*Extra Early Refugee	25	т	25

BEANS, Dwarf or Bush, continued.			
Per	qt.	8 g	ts.
*Refugee, or 1,000-to-1\$0	25 \$	I	25
White Kidney, or Royal	20	I	00
Red Kidney, or French	20	I	00
White Marrowfat	20	Ι	00
*Wonder of France	30	Ι	50
Flageolet Improved Green.			
Canadian Wonder	30	I	50
Dwarf Horticultural	25	Ι	25
*Burpee's Bush Lima	40	2	00
Dreer's Bush Lima	40	2	00
*Valentine Wax	25	Ι	25
*Yosemite Mammoth Wax	30	Ι	50
Crystal White Wax	30	Ι	50
*Black Wax (with yellow pods).	25	I	25
*Golden Wax Improved	25	Ι	25
*Wardwell's Kidney Wax	25	Ι	25
Flageolet Wax	30	Ι	50
Refugee Wax		Ι	25
For prices per bushel, see	page	2	6.

ENGLISH DWARF BEANS.

Féve de Marais, Fr. Garten Bohnen, Ger. Haba Commun, Sp.

Plant as early as practicable in spring, 4 inches apart and 2 inches deep, in drills 4 feet apart.

Per qt. 8 qts.





Burpee's Bush Lima.



Extra Early Valentine. (See page 8.)

†POLE or RUNNING BEANS.

Haricot á Rames, Fr. Stangen Bohnen, Ger. Frijole Vastago, Sp.

Pole Beans are more tender, and require rather more care in culture, than the Bush Beans. They succeed best in a rich, sandy loam.

Plant from the middle of May to July, in hills about 4 feet apart each way.

m mis about 4 foot apart out		
Per	qt.	8 qts.
*Extra Early Lima\$0	40	\$2 00
*Dreer's Improved Lima	40	2 00
*Large White Lima	40	2 00
*King of the Garden Lima.	40	2 00
Ford's Mammoth	40	2 00
Early Golden Cluster Wax.	40	2 00
*Horticultural, or Wren's		
Egg	30	I 50
White Dutch Case-knife	30	I 75
*Mont d'Or, or Golden Butter	40	2 00
Giant Red Wax	40	2 00
Indian Chief (yellow pods). Black German Wax, or Algerian.	30	I 75
White Dutch Runner	30	I 75
Scarlet-flowering Runner.	30	I 50
Asparagus, or Yard Long. 1	00	

‡BROCCOLI.

Chou Brocolis, Fr. Brocoli, Spargel-Rohl, Ger. Broculi, Sp.

Sow in May or June. This should be transplanted in July, in rows about 2 feet apart each way.

	OZ.		
*Extra Early White\$0	60	\$2	00
*Early Purple Cape	40	I	00
White Cape, or Cauliflower	60	2	00
Early Walcheren (true) Walcheren Cauliflower.	50	I	50



BEETS.

Betterave, Fr. Runkelrüben, Ger. Remolacha, Sp.

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

Pos	oz.		
*Extra Early Turnip\$0	10	\$ 0	25
Early Bassano, or Sugar.			
*Eelipse Crimson Turnip			25
*Early Blood Turnip	IO		25
*Egyptian Blood Turnip	IO		25
Dewing's Blood Turnip	10		25
*Edmand's Early Blood Turnip	IO		25
Columbia Turnip	IO		25
Long Dark Red	10		25
*Half-long Dark, or Pear-			
shaped	15		30
Yellow Turnip, or Orange	IO		25
Silver Swiss Chard	10		25
Victoria Blood-red Swiss			
Chard	15		30
Sea Kale Beet, for greens.			
For prices per lb., see pa	ge :	26.	

CATTLE BEETS.

White Imperial Sugar ... \$0 15 \$0 40
White French Sugar ... 15 40
White Silesian, or Field.

MANGEL-WURZELS.

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

	Per 4	ozs. L	b.
Long Red	\$0	15 \$0	40
Scarcity, or Cattle Beet.			
*Mammoth Long Red		15	40
*Norbiton Giant Red		15	50
Champion Yellow Globe.		15	35
*Golden Tankard		15	40

BURNET.

Pimpernelle petite, Fr. Pimpernell, Ger. Pimpinela, Sp.

Sow in rows early in spring.

Garden. Oz. 25 cts., 4 ozs. 50 cts.

‡BRUSSELS SPROUTS.

Chou de Bruxelles, Fr. Grüner Sprossen, Ger. Breton de Bruselas, Sp.

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small, tender heads melt in the mouth like fine cauliflower.

	Per	oz.	4 0	zs.
*Improved Dwarf	.\$0	25	\$0	75
Tree, or Miniature Cabbage.				

75

Roseberry, or French..... 25

For Specialties in Vegetable and Flower Seeds, see pages 3, 4, 5 and 6, where the best new and choice old strains of seeds are illustrated and fully described.



CABBAGE.

Chou pomme ou Cabus, Fr. Ropffohl, Ger. Repollo, Sp.

Sow the early varieties in protecting frames in September, or hotbeds early in the spring; sow late kinds about the middle of May; transplant in July in fresh, rich ground, in rows about 2½ feet apart and from 1 to 2 feet apart in the row.

Per	OZ.	40	ZS.
Early York, or May\$0 Early Royal Dwarf.	20	\$ 0	50
*Early Oxheart	20		50
*Early Winnigstadt, or Cone	20		50
Early Flat Dutch Early Summer, or Henderson's.	30		75
*Early Jersey Wakefield Early Nonpareil, Early Becalan.	30	I	00
*Selected All Seasons	25		75
Early Dutch Drumhead Early Dutch, or Battersea.	20		50
*Large Late Flat Dutch Premium Flat Dutch, Excelsior.	25		75
Large Late Drumhead Large Late Brunswick, or Fottler's.	25		75
*Henderson's Succession	30	Ι	00
*Autumn King	40	I	00
*Dwarf Early Ulm Savoy	25		75



Early Jersey Wakefield.

Per oz.	4 ozs.
Late Drumhead Savoy\$0 25	\$0 75
Large Globe Savoy.	
Perfection Curled Savoy 25	75
Large Red Drumhead 25	75
Red Dutch, or Pickling 25	75
Marblehead Mammoth 20	50
Large Early Schweinfurt 20	50
Pomeranian, or Filderkraut. 20	50
For prices per lb., see page 2	6.

CARROTS.

Carrotte, Fr. Möhren, Ger. Zanahoria, Sp.

Sow in April for early, middle of June for winter use, in drills about 15 inches apart.

	drins about 15 menes ap	art.
	*Extra Early Per oz.	4 ozs.
		#
	Forcing \$0 15	\$0 30
	Orange Turnip-rooted.	
	*Early Orange	
	Horn (pointed) 15	30
	*Half-long Red	_
	(stump-rooted) 15	30
	Scarlet Caren-	3-
-		
1	tan (coreless) 15	30
	*Oxheart, or Gue-	
1	rande 15	30
-	Danvers Orange	
	Intermediate 10	25
1	*Long Orange 10	25
	Long Scarlet or Sur- ry, Altringham.	
1		
	Long White 10	25
1	Large White Belgian.	
	For prices per 1b	, see

page 26.



Autumn King.



Early Dwarf Snowball Cauliflower.

CAULIFLOWER.

Choufleur, Fr. Blumenfohl, Ger. Coliflor, Sp. As a rule, early Cauliflower is a very

uncertain crop. Seed sown about the mid-

dle of May and transplanted early in July is more likely to produce good heads. Sow for early and late, same as cabbage. 07 *Erfurt Extra Early Dwarf. \$0 50 \$6 00 Carrara Rock..... 50 *Early Dwarf Snowball..... 25 4 00 Per oz. 4 OZS. *Extra Early Paris (fine)...\$0 75 \$2 25 Half-early Paris Nonpareil.. 60 2 00 *Lenormand's Short-stemmed 75 Carter's Extra Dwarf Mammoth. Early London, or Dutch..... 40 I CO

CARDOON.

Large Late Stadtholder 40

Italian, or Autumn Giant 40

*Large Algiers (fine late) 75

1 00

2 25

I 00

Cardon, Fr. Carbon, Ger.

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

Large Solid. Oz. 30 cts., 4 ozs. 75 cts.

CHERVIL.

Cerfeuil, Fr. Rerbel, Ger. Perrifollo, Sp.

Sow early in spring, and at short intervals for later use.

Curled,	or	Double	Per	oz.	4 0	zs.
Cher	vil.		.50	20	\$0	50
Tuberou	s-ro	oted		20		75

COLLARD, or COLEWORT.

Chou, Fr. Blätter-Robl, Ger.

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage.

Georgia - grown Collards. Oz. 20 cts., 4 ozs. 50 cts.


CELERY.

Céleri, Fr. Gellerie, Ger. Apio, Sp. Sow very early in spring, in moist,

rich ground, when the plants are from 4 to 6 inches high; transplant into trenches 4 inches deep and 9 wide, and 3 feet from trench to trench. Set the plants 6 inches

apart in the rows.			
; Pe	r oz.	4 (ozs.
*Early Dwarf White\$0 Incomparable Dwarf.	25	\$0	75
*Early White Plume	40	I	25
*Golden Heart, Half-dwarf	25		75
Golden Self-blanching	40	I	25
*Perfection Heartwell	25		75
*Boston Market Dwarf White			75
*New Giant Pascal			75
Large White, or Giant			50
*Early Dwarf Red Dwarf Crimson, Rose-colored.	30		75
London Large Red			75
*Fin de Siècle		I	25
Turnip-rooted Celery Early Erfurt Celeriac.	25		75
Celery Seed (for flavoring)			
Lb. 60 cts	IO		20





Some average ears of Sweet Corn, showing the different types.

+SUGAR CORN.

Mais, Fr. Welschforn, Ger. Maiz, Sp.

Plant from the middle of May to July for successional crops, in hills about 3 feet apart.

DAMDA DADIA		
EXTRA EARLY. Per q	t. 8 qt	le.
*Extra Early Minnesota \$0 2		
*Extra Early Cory 2	5 φ ₁	
Decree Larry Cory 2	5 1	00
Perry's Hybrid 2	5 1	
Dwarf Champion 2	5 1	00
Early Marblehead 2	5 I	00
SECOND EARLY.		
*Crosby's Early (fine) 2	F T	00
Triumph Early Sugar 2		
		00
Moore's Early Concord 2		00
Amber Cream Sugar 2		СО
*Squantum, or Potter's Sugar 2	5 I	00
*Ne Plus Ultra 2	5 I	00
GENERAL CROP.		
*Stowell's Evergreen 2	5 I	00
*Country Gentleman 2		00
*Mammoth Sugar (extra fine) 2		00
Excelsior, Asylum, or Burr's.	J 1	50
Egyptian, or Washington		
Market 2	5 I	00

Per qt. 8 qts.
Large Eight-rowed Sugar. \$0 25 \$1 00
Roslyn Hybrid 25 I 00
Black Mexican Sugar 25 1 25
Sweet Fodder (best for soiling)\$3 00
For prices per bushel, see page 26.

POP CORN.

Pop, or Parching. Qt. 25 cts., 8 qts. \$1.

†FIELD CORN.

TIEDD CORN.	
About per	bus.
Early Yellow Canada\$1	75
Large White Flint	75
Longfellow (Yellow Flint)	
King Philip	75
Queen of the Prairie (Dent)	
Golden Beauty (Dent)	7.5
We can furnish, also, other Field variet	

CORN-SALAD, or FETTICUS.

Mâche, Fr. Acterialat, Ger. Canonigos, Sp. Sow in September, and manage same as spinach.

	rei	oz.	4 0	zs.
Small	Seeded\$0	IO	\$0	25
Large	Seeded	IO		25

For explanation of the (*) and other terms, see page 8.



Tailby's Hybrid Cucumber.

+CUCUMBERS.

Concombre, Fr. Gurfen, Ger. Pepino, Sp. Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

ioi successional crops.		
Per		4 ozs.
*Extra Early Russian\$0		0 25
*Early White Spined	15	30
Short Green, or Boston Pick-		
3	IO	25
*Green Prolific, or Pickling	10	25
	10	25
Early Short Prickly, Early Frame.		
	15	30
*Thorburn's Everbearing	10	25
Khiva Brown Netted	20	60
Long White Spined	15	30
New Jersey Hybrid.		
*Tailby's Hybrid		30
Long Green Turkey	10	25
W. I. Gherkin, or Burr	20	60
German White (for forcing)	20	60
Nichol's Medium Green	10	25

ENGLISH FRAME CUCUMBERS

Per p	kt.
General Grant\$0	25
Telegraph	25
Duke of Edinburgh	25
Giant of Arnstadt	25
Also several other English long varie-	
ties for forcing; each, per pkt	25
For prices per lb., see page 27.	



Extra Early Russian Cucumber.

CRESS, or PEPPER-GRASS.

Cresson, Fr. Rreffe, Ger. Mastuerzo, Sp. Sow at short intervals, spring and fall.

*Upland Cress\$0	50	\$I	50
*Extra Curled	10		25
Australian, or Golden	10		25
True Water Cress	50	I	50



Improved New York Purple Egg-Plant.

†EGG-PLANT.

Aubergine, Fr. Gierpflanze, Ger. Berengena, Sp.

Sow in hotbed or under glass, early in spring; about the end of May transplant to the open ground.

Per oz. 74 978.

Early Long Purple	. \$о	30	\$1	00
*Improved N. Y. Purple		50	I	25
Large Oval Purple, Round Purple	e.			
*Early Black Pekin		40	I	00
			Per p	
Long White Chinese			\$0	IO
Scarlet Chinese				Ю
Striped, or Guadaloupe				IO
White Egg-shaped				10

‡ ENDIVE.

Chicorée-Endive, Fr. Endivir, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

Per oz.	4 ozs.
*Green Curled Summer \$0 20	50 5 0
White Curled 20	50
French, or Moss-curled 20	50
*Broad-leaved 20	50
Batavian, or Escarolle.	
Brussels Chicory (Witloof) 15	25
Wild (for flavoring coffee) 15	30
(Chicory, or Succory, per lb., \$1.)	

GARLIC.

Ail, Fr. Anoblaud, Ger. Ajo, Sp. Plant early in spring, in rows 10 inches apart and 2 inches deep.

Garlie Sets. Lb. 40 cts.

‡KALE, or BORECOLE.

Chou-vert, Fr. Grüner-Rohl, Ger. Breton, Sp.

Sow spring sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

· Per	oz.	4 ozs.
*Green Curled Scotch\$0	15	\$0 30
*Dwarf Green Erfurt	15	30
Brown, or Purple Curled	15	30
*Curled SiberianLb. 60 cts		25
Hardy German Greens, or Winter Spro	uts.	
*Striped Garnishing		75
Sea Kale (Crambe maritima)	25	75
Spring Sprouts (for greens)		IO



Simpson's Curled Silesia Lettuce.



Dwarf Green Erfurt Kale.

İ KOHLRABI.

(Turnip-rooted Cabbage.)

Chou-rave, Fr. Rohlrabi, Ger. Col de Nabo, Sp.

Sow from March to June for transplanting in succession.

	Per oz.	4 OZS.
Early White Vienna	\$0 30	\$1 00
Early Purple Vienna	30	I 00

‡LETTUCE.

Laitue, Fr. Lechuga, Sp. Sow for early in hotbeds; open ground

April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

winter use.		
	oz.	4 ozs.
*German Early Head\$0	25	\$0 75
Early Egg, or Forcing	25	75
*Buttercup (fine for forcing)	20	50
*Big Boston (fine for forcing)	20	50
*Simpson's Curled Silesia	20	50
Early Cut Salad.		
Black-seeded Simpson	15	40
*Early Tennisball (fine)	20	50
Early Boston Market.		
*Golden Stone Head (fine)	25	75
Yellow-seeded Butter.		
*Deacon (solid head)	20	50
Mignonette. Russet color	25	75
Black-seeded Large Butter	20	50
Turkish Cabbage, or Russian.		
Gray-seeded Butter	25	75
*Perpignan, or Summer	20	50
New York Cabbage	20	50
Ice Drumhead (fine)	15	40
Royal Cabbage, or Malta.		
White Summer Cabbage	20	50
Stone Cabbage, or Winter Butter.		
American Gathering	15	40
Victoria Cabbage	15	40
Red-edged Cabbage.		
*Salamander or Satisfaction	20	50



Deacon Lettuce. (See page 15.)

LETTUCE, continued.	
Per oz.	
*All-the-Year-Round\$0 20	\$0 50
Hanson's Cabbage 20	50
Shotwell's Brown Head 20	50
Hardy Green	40
Winter, or Hammersmith.	
White Paris, or Ice Cos 20	50
Green Paris Cos (Romaine) 20	50
Trianon Self-closing Cos 20	50
Balloon Cos 20	50
Asiatic Cabbage, or Imperial 15	30
Saxony Cabbage, Grand Admiral.	
For prices, per lb., see page	27.

LEEKS.

Poireau, Fr. Lauch, Ger. Puerro, .Sp. Sow from March to May; transplant in rich ground.

*Large American Flag..... \$0 30 \$0 75 Large Carentan (fine). 20

† MARTYNIA.

Gemienhorn, Ger.

Sow in May in open ground, 3 feet apart each way.

Craniolaria (for pickles). Oz. 30c., 4 ozs. 75 cts.

MUSTARD.

Sinapis, Lin. Moutarde, Fr. Genf, Ger.

Sow at intervals spring and autumn

Dow at intervals, spring and ad	icullil.
Per oz.	4 ozs.
*White, or Yellow\$0 05	\$0 15
Black, or Brown 05	15
Chinese (for salad) 10	30

+ MUSK-MELONS.

Melon, Fr. Melonen, Ger. Melon, Sp. Sow in frames for early; open

ground in May and June, in hills 6 feet apart each way. *Early White Japan . \$0 15 \$0 30 *Early Christina (orange -30 *Emerald Gem (orange flesh) 15 30 . *Large Nutmeg (green flesh) 15 30 *Long Island Beauty.. 15 30 The Banquet (rich salmon) 15 30

*Early Jenny Lind (green flesh) 15 30 Delmonico (large; orange flesh) 15 30 *Improved Hackensack 15 30 Bay View (extra large)..... 15 30 Surprise (orange flesh) 15 30 Excelsior Nutmeg (green flesh) 15 30 *Golden Perfection (yellow 30 Baltimore Market (orange flesh)..... 15 30 *Golden Netted Gem..... 15 30 *Montreal Market (green flesh) 15 30 Green Citron (netted) 15


30



Also, English varieties for cul-

ture in frames..per pkt., 20c...

Golden Netted Gem Muskmelens.



Striped Gipsy Watermelon.

†WATERMELONS.

Melon d'Eau, Fr. Waffermelonen, Ger. Sandia, Sp.

Sow in frames for early; open ground May and June, in hills 8 feet apart each way.

Per	oz.	4 ozs.
*Early Mountain Sweet\$0	IO	\$0 25
Kolb's Gem	10	25
Icing, or Ice Rind (red flesh).	10	25
White-seeded Ice Cream, Strawberry.		
*Black Spanish (red flesh)	IO	25
*Cole's Early	IO	25
Phinney's Early (red flesh)	IO	25
*Jordan's Gray Monarch	15	30
Green and Gold	10	25
*Hungarian Honey	15	30
*Sealy Bark (crimson flesh)	IO	25
*Vick's Early (red flesh)	15	30
The Volga (red flesh)	10	25
Orange (scarlet flesh)	10	25
Mammoth Ironelad	IO	25
*Striped Gipsy (fine late)	IO	25
Jackson, or Rattlesnake.		

Citron (for preserves). oz. 10 cts., 4 ozs. 25 cts.

MUSHROOMS.

Champignon, Fr. Cham: pignonbrut, Ger. Seta, Sp.

English Spawn. Lb. 15 cts., 8 lbs. \$1.

French, in boxes of 3 lbs., each \$1.25.

on Mushroom culture sent with all orders for spawn.

INASTURTIUMS.

Capucine grande, Fr. Rressen Indianische, Ger. Maranuela, Sp.

Sow in May and June in drills an inch deep.

		Per	oz.	4 0	zs.
Tall (Indian	Cress)	 .\$0	20	\$0	50
Dwarf "	" "	 	20		50

OKRA.

Gombo, Fr. Efsbarer Hibiscus, Ger. Quimbombo, Sp.

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

	Per	oz.	40	zs.
*Dwarf White Velvet	.\$0	IO	\$о	25
*Early Dwarf Green		10		25
Improved Dwarf Prolific.				
Extra Long Green		10		25

ONIONS.


Oignon, Fr. Zwiebeln, Ger. Cebollo, Sp.

Sow seed in rich ground early in spring, in drills I foot apart, and thin to 2 inches apart.

Per	oz.	4 ozs.
*Extra Early Flat Red\$0	_	\$0 75
Large Red Wethersfield	-	75
*Large Red Globe		75
*Southport White Globe	_	75
Yellow Dutch, or Strasburg.		50
*Yellow Danvers, or Globe		50
*White Portugal	25	75
New England White, Silver Skin.		



Yellow Danvers Onion.



Prize Taker Onion.

ONIONS, continued. Per oz.	4 ozs.
	'
	\$0 75
*Prize Taker (straw-color) 30	75
White Italian Tripoli 25	75
Naples Giant Rocca (late) 20	50
About, per qt.	Pk.
Potato Onions	\$1 75
White Multiplier 30	1 75
Red Onion Sets 30	I 50
*White Onion Sets 30	I 75
Yellow Onion Sets 25	I 50
Top, or Button Onions 25	1 50
For prices per lb., see page 27	

PARSNIPS.

Panais, Fr. Bastinafen, Ger. Pastinac	a, <i>Sp</i> .
Sow from March to June, in deep	, rich
ground.	4.000
*Long White, or Guernsey\$0 10	
Cup, Hollow Crowned, or Sugar.	
Sutton's Student 10	25

PARSLEY.

Persil, Fr. Peterfilie, Ger. Per	ejil, <i>Sp</i>	· .
Sow from March till June, in	drills	an
inch deep and I foot apart.		
Per	OZ. 4	ozs.
*Curled, or Double\$0	10 \$0	25
*Champion Moss Curled		30
*Carter's Fern-leaved	IO	25
Hamburg, or Rooted	TO	25

†PUMPKINS.

Potiron, Fr. Kürbisse, Ger. Calabaza, Sp.

Sow in May or June, in hills 6 by 8 feet apart.


	Per	oz.	40	ZS.
Large Cheese, or Pie	\$ 0	10	\$о	25
West India Mammoth		25		75
Mammoth, or Large Tou	rs	20		60
Jonathan		10		25
	Per	qt.	Bt	ıs.
Connecticut Field	\$0	25	# 1	00

†PEPPERS.

Piment, Fr. Spanischer Pfeffers, Ger. Pimiento, Sp.

Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.

•		
Per	oz.	4 ozs.
Squash, or Tomato \$0	25	\$0 75
*Large Bell, or Bull Nose	25	75
*Sweet Spanish (for salad)	25	75
*Sweet Mountain (for mangoes).	30	75
*Celestial	30	I 00
Red Cherry	30	I 00
Red Chili, or Red Cluster	30	1 00
Long Red Cayenne	30	I 00
Ruby King	30	I 00
Golden Dawn	25	75
For prices per lb., see page	27.	



Ruby King Pepper.

PEAS.

Pois, Fr. Erbsen, Ger. Guisante, Sp.

EXTRA EARLY SORTS.

Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.

Those marked thus (*) are the wrinkled varieties.


Varieties.	D.		0 ~	
Bridgeman's Extra	, re	r qt.	8 g	ıs.
Early21/2	£ \$0	25	\$1	25
Carter's First Crop21/2		. 25	I	25
Sutton's Ringleader, First and Be	st.			
Daniel O'Rourke21/2		. 25	I	25
Sangster's No. 1, Caractacus.				
Philadelphia Extra				
Early2½		_		25
*Laxton's Alpha (fine)3		_		25
Alaska2 ¹ / ₂		-	I	25
*Nott's Excelsior		-	I	50
Kentish Invicta (fine)2 1/2		. 30	I	50
Prize Taker, Rising Sun.				
*Carter's Premium Gem .11/2		. 25	I	25
*Duke of York3		. 30	I	50
*American Wonder1½		. 30	I	50

SECOND EARLY PEAS.

I	۲t.	Per	qt.	8 q	ts.
*Heroine2	1/2	\$ 0	30	\$1	50
*McLean's Advancer2	1/2	٠.	25	I	25
*Shropshire Hero3			30	I	50
Laxton's Fillbasket3			30	I	50
*Horsford's Market Gar-					
den2	$\frac{1}{2}$		25	I	25
*Dwarf Champion2		٠.	30	I	50
*Abundance (sow thin)I	$\frac{I}{2}$	٠.	25	I	25
*McLean's Little Gem 1			30	I	50
McLean's Blue Peter			30	I	50
Tom Thumb (Amer.) 7 in.			25	I	50



American Wonder.



Nott's Excelsior.

MIAN CROP AND LATE PEAS.

· Ft.	Per	qt.	8 q	ts.
*Champion of England5	\$ი	25	\$1	25
*Yorkshire Hero3		25	I	25
*Ne Plus Ultra		25	I	25
*Juno. Large, straight pods.2		30	I	50
*Everbearing (sow thin)21/2		25	I	25
Pride of the Market 2		30	I	50
*Sander's Marrow5		30	I	50
*Carter's Telephone5	٠.	30	I	50
Culverwell's Telegraph. 4		30	I	50
*Carter's Stratagem2	٠.	30	I	50
*Queen (finest flavor)21/2		30	I	50
Blue Imperial 2½		25	I	25
White Marrowfat3		20	I	00
Black-eyed Marrow3		20	I	00
Peruvian Marrow				

SUGAR PEAS.

Ft.	Per	qt.	8 q	ts.
Melting Sugar (edible				
pods)5	\$0	30	\$I	75
Wrinkled Sugar (edible				
pods)4		40	2	00
Dwarf Sugar (edible pods)2	• •	40	2	00
For prices per bushel se	e na	ore .	28	



Early Beauty of Hebron Potato.

POTATOES.

Pomme de Terre, Fr. Rartoffeln, Ger.
Our Potatoes are all specially "northern-grown," for seed purposes.
Prices subject to variation

Prices subject to variation.	Ab	out,		
	per	bus.	B	b1.
Early Beauty of Hebron	.\$1	75	\$4	00
Early Rose, or Vermont	. I	75	4	00
Early Bovee	. 2	25	5	50
Early Norther	. 2	00	4	00
Early Ohio	. 2	00	4	00
Early Puritan	. 2	00	4	00
Charles Downing (early)	. 2	25	4	50
Clark's No. 1 (early)	. 2	00	4	00
Carman No. 1 (medium)	. 2	00	4	00
Sir Walter Raleigh			5	50
White Peach-blow			4	50
White Elephant (fine late)	. I	75	4	00
White Star (late)	. I	75	4	00
Late Beauty of Heb-	-	10/		
ron. Bus., \$1.75,			1	i col
bbl. \$4.	5	V	5	0



French Breakfast Radish.



Long Black Spanish Radish.

RADISHES.

Radis, Rave, Fr. Hettige, Ger. Rabanos, Rabonitas, Sp.

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart

men deep and a loot apart.		
Per	oz,	4 ozs.
*Scarlet Globe Turnip (new).\$0	15	\$0 30
*French Breakfast (fine)	IO	25
Red Olive-shaped, White Tipped.		
*Early Scarlet Turnip (fine)	10	25
Red Turnip, or Cherry.		
*Early Round Dark Red	IO	25
White-tipped Scarlet Turnip	15	30
*Golden Olive-shaped	15	30
Early White Olive-shaped	10	25
Early Scarlet Olive-shaped	IO	25
*Long Scarlet Short-top	IO	25
Beckert's Chartier Long Red	10	25
*Golden Globe (fine)	IO	25
Yellow Summer Turnip	IO	25
*White Summer Turnip	IO	25
Giant Stuttgart Summer		
Turnip	IO	25
Purple Summer Turnip	IO	25
*Long Black Spanish	10	25
*Round Black Spanish	IO	25
White Spanish, or Fall	15	30

To be crisp and tender, Radishes must grow quickly and have plenty of water.

25

25

*Scarlet Chinese Winter..... 10

Long White Naples..... 10

Raphanus (edible pods)pkt. 10c. For prices per lb., see page 28.



White Summer Turnip and White-tipped Scarlet Turnip Radish.
(See preceding page.)

SKIRRET.

Chervis, Fr. Zuckerwurzel. Ger. Cherivia, Sp.

Sow from April till June.

Sium Sisarum. Oz. 30 cts., 4 ozs. 75 cts.

SORREL.

Oseille, Fr. Sauerampfer, Ger. Acedera, Sp.

Sow during the spring.

*Large-leaved Per oz. 4 ozs.

.....Lb. \$1.25..\$0 15 \$0 40

Garden Patience
Dock 30 60

RHUBARB.

Rhubarbe, Fr. Rhabarber, Ger. Ruibarbo, Sp.

Sow seed or plant roots in rich ground during April or May.

Myatt's Victoria ... \$0 20 \$0 50
Pie Plant, Wine Plant.

Each Per doz.

Roots (large) ... \$0 20 \$2 00

SAGE.

Sauge, Fr. Salbei, Ger. Sow during the spring.

Common (Salvia officinalis). Oz. 25 cts., 4 ozs. 75 cts.

SALSIFY, or OYSTER PLANT.

SCORZONERA.

Scorsonére, Fr. Eforzonere, Ger. Escorconera, Sp.

Sow from April till June.

Black Salsify. Oz. 25 cts., 4 ozs. 75 cts.

SAVORY.

#Summer ... \$0 25 \$0 75

Winter ... 4 0zs. 4 0zs. 50 75

Winter ... 40 1 00

SWEET BASIL.

Basilic, Fr. $\mathfrak{Bafilicum}$, Ger. Sweet. Oz. 40 cts., 4 ozs. \$1.

SWEET MARJORAM.

Marjolaine, Fr. Marjoran, Ger.
Sow during the spring.

Sweet. Oz. 30 cts., 4 ozs. \$1.


SPINACH.

Epinard, Fr. Epinat, Ger. Espinaca, Sp. Sow early in the spring, in very rich ground. Also during September and October for winter use, in drills 12 inches apart, and half an inch deep.

•	Per	4 0Z	s. L	b.
*Round-leaved	\$ 0	15	\$0	50
*Long-standing		15		50
Victoria (dark green)		15		50
*Large Viroflay Large Round Thick-leaved.	• • •	15		50
Savoy-leaved	• • •	15		50
Prickly-leaved		15		50
New ZealandOz. 15 cts			I	00
Holland, or OrachOz. 200 French, or Mountain Spinach.		50	I	00



Savoy-leaved Spinach.



Early White Bush Squash.



+SQUASHES.


Courge, Fr. Rürbifz, Ger. Calabozo, Tontanera, Sp.

Sow in hills from the middle of April till the last of June. Bush kinds about 4 feet apart, other kinds 8 feet apart.

*Early White Bush\$o Scallop, or Pattypan.	10	\$ 0 25
Egg-plant Bush	10	25
*Early Striped Bush Green-striped Bergen.	10	25
Early Golden Bush	10	25
*Summer Crookneck Bush	10	25
Golden Custard Bush	10	25
Early Orange Marrow	ΙΌ	25
Boston Marrow	15	30
*Hubbard, or Winter	15	30
Pike's Peak	10	25
Marblehead Marrow	10	25
*Essex Hybrid	IO	25
*Winter Crookneck	15	30
*Delicata	15	30
Fordhook (Long-keeper)	IO	25
*Perfect Gem (Late-running)	10	25
Butman (Winter)	IO	25
English Vegetable Marrow	20	50
Mammoth Chili (extra size)	20	50
Patagonia Seven Years' Custard, or Butter.	20	50
Brazil Sugar	10	25
For prices per lb., see page	28.	

TOBACCO SEED.

(Nicotiana tabacum.)				
	Per	OZ.	4 C	zs.
Connecticut Seed-leaf	\$0	30	\$ I	00
Imported Havana		50	1	50



Livingston's Perfection Tomato.

‡TOMATOES, OR LOVE-APPLES.

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp. Sow in hotbeds for early; open ground, April and May; transplant in rows 3 or 4 feet apart.

Per oz. 4 ozs.

4 leet apart.	
*Ponderosa \$0 50 \$1	ozs.
*Livingston's Perfection 25	75
*Ignotum 25	75
The Lorillard 25	75
Extra Early Conqueror 25	75
*Mikado (early, large, red) 25 Turner's Hybrid.	75
*The Trophy (selected) 25	75
*Dwarf Champion 25	75
*Acme (smooth, dark red) 25	75
Livingston's Beauty 25	75
*Livingston's Favorite 25	75
*Early Ruby (dwarf, compact) 25	75
Red Cherry, or Gem 25	75
Large Golden Yellow 30	75
Red Pear-shaped, or Fig 25	75
Yellow Plum 30	75
*Cardinal (brilliant red) 25	75
Stone (very large scarlet) 25	75
*Carter's Green Gage (fine) 25	75
Strawberry, or Winter 30	75
DeLaye, or Treepkt. 10 cts	
For prices per lb., see page 28.	

For prices per lb., see page 28.

THYME.

Thym, Fr. Thymian, Ger.

Sow during the spring.	Per oz.	4.075
*English		
French (small-leaved)	40	I 25

TURNIPS.

Navet, Fr. Rüben, Ger. Nabo commun, Sp.

All varieties, 10 cents per ounce.

Sow for early, very early in spring, on freshly broken up ground. Upon old ground early Turnips are liable to be hot, strong and wormy. For main crop, sow in July and August. Sow Rutabaga in July, in drills 15 inches apart; thin out to 6 inches. For best results, cultivate carefully all through the season.

through the season.		
		Lb.
*Extra Early Milan\$0	25	\$0 75
Early Flat Dutch	20	50
Early White Stone Early Snowball, or Six Weeks.	20	60
Early Purple Top Munich	20	50
Early Yellow Teltow Small Berlin, or Marrow.	25	75
*Red Top Strap-leaved	20	50
Red Top White Globe	20	50
*White Egg-shaped (fine late).	20	50



Early Purple-Top Munich Turnip.

Early Purple-10p Munich Turi	nıp.	
Per 4	ozs.	Lb.
*Yellow Stone, or Globe \$0	20	\$0,50
Yellow Aberdeen	20	50
*Robinson's Golden Ball Orange Jelly.	20	50
White French, or Rock Russian, Hanover, Sweet German.	20	50
*Purple Top Rutabaga Improved Yellow Swede, or Russian.	20	50
White Rutabaga	20	50
Long White, or Cow Horn	20	50



SWEET, POT AND MEDICINAL HERBS.

Per packet, 5 to 10 cents.

Sow under glass early in spring; about the end of May transplant to open ground.

Anise (Pimpinella Anisum)\$0 15 Basil, Sweet (Ocymum bascilicum) 40 Borage (Borago officinalis) (for bees). 20 Balm (Melissa officinalis) 40 Bene (for dysentery)	Per oz.	Per oz.
Borage (Borago officinalis) (for bees). 20 Balm (Melissa officinalis). 40 Bene (for dysentery)	Anise (Pimpinella Anisum)\$0 15	Hoarhound (Marrubium)\$0 30
Balm (Melissa officinalis)	Basil, Sweet (Ocymum bascilicum) 40	Hyssop (Hyssopus officinalis) 30
Bene (for dysentery)	Borage (Borago officinalis) (for bees) 20	Lavender (Lavendula spica) 30
Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) 15 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) 1b. \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40 Tansy (Tanacetum vulgaris) 50 Thyme, English (Thymus vulgaris) 50 Thyme, French 40	Balm (Melissa officinalis) 40	Marjoram, Sweet (Origanum) 30
Castor Oil Plant (Ricinus) lb. 50c 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) lb. \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40 Tansy (Tanacetum vulgaris) 50 Thyme, English (Thymus vulgaris) 50 Thyme, French 40	Bene (for dysentery)lb. \$1.25 20	Rue (Ruta graveolens) 20
Caraway (Carum carui)	Coriander (Coriandrum sativum) 15	Rosemary (Rosemarinus officinalis) 50
Catnip (Nepeta cataria)	Castor Oil Plant (Ricinus) lb. 50c 10	Saffron (Carthamus)
Dandelion (Leontodon taraxacum)40Dill (Anethum graveolens)lb. \$1.15Eucalyptus, or Fever Plant35Fennel, Sweet (Anethum)	Caraway (Carum carui) 15	Sage, Common (Salvia officinalis) 25
Dill (Anethum graveolens)\$1.15Eucalyptus, or Fever Plant35Thyme, English (Thymus vulgaris)50Fennel, Sweet (Anethum)15Thyme, French40	Catnip (Nepeta cataria) 40	Savory, Summer (Satureja hortensis). 25
Eucalyptus, or Fever Plant 35 Thyme, English (Thymus vulgaris) 50 Fennel, Sweet (Anethum) 15 Thyme, French 40	Dandelion (Leontodon taraxacum) 40	Savory, Winter (Satureja montana) 40
Fennel, Sweet (Anethum) 15 Thyme, French 40	Dill (Anethum graveolens)lb. \$115	Tansy (Tanacetum vulgaris) 50
	Eucalyptus, or Fever Plant 35	Thyme, English (Thymus vulgaris) 50
Hop Seed (Humulus) 50 Wormwood (Artemesia absinthium) 30	Fennel, Sweet (Anethum) 15	Thyme, French 40
	Hop Seed (Humulus) 50	Wormwood (Artemesia absinthium) 30

Grass and Clover Seeds and Other Important Requisites

GRASS SEEDS. A		
Timothy. 45 lbs. to bus	3	00
Creeping Bent Grass. 20 lbs. to bus Agrostis stolonifera.	3	50
Red Top Grass. 14 lbs. to bus " " Exrecleaned; 32 lbs. Agrostis vulgaris.	1 7	75 00
Rhode Island Bent Grass. 14 lbs. to bus. Agrostis canina.	3	50
Sweet Vernal Grasslb. 75 cts Anthoxanthum odoratum.		
Meadow Fescue. 22 lbs. to bus Festuca pratensis.	4	00
Meadow Fox Tail Grass. 7 lbs. to bus Alopecurus pratensis.	2	75
Tall Meadow Oat Grass. 13 lbs. to bus. Avena elatior.	2	50
Orchard Grass. Choice; 14 lbs. to bus. Dactylis glomerata.	2	50
Sheep's Fescue Grass. 12 lbs. to bus Festuca ovina.	2	50
Hungarian Grass. 48 lbs. to bus Panicum Germanicum.	I	50
Meadow Soft Grass. 7 lbs. to bus Holcus lanatus.	I	25



r toquisites.
About, per bus.
Italian Rye Grass. 12 lbs. to bus\$2 00 Lolium Italicum.
English Rye Grass. 24 lbs. to bus 2 00 Lolium perenne.
Wood Meadow Grass. 14 lbs. to bus 5 00 Poa nemoralis.
Kentucky Blue. Best excleaned; 14 lbs. 2 00
Central Park Lawn Grass. 15 lbs. to bus. 3 50
Extra Finest Mixed Lawn Grass. 15 lbs. 4 50
Golf Link Mixture. 20 lbs. to bus 2 50
Putting Green Mixture 4 50
Permanent Pasture Grass 2 50
CLOVERS.
Red Clover. Price variable\$0 15
White Clover. " " 30
Crimson Clover at the new core
Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum.
Yellow Clover, or Trefoil 20
Lucerne, or Alfalfa Clover 25
Alsike Clover, or Swedish 25
Bokhara Clover30
BIRD SEEDS, ETC. Per qt. Bus.
Canary (best Sicily)\$0 20 \$4 00
Mixed Bird Seed 20 4 00
The Color of the C

Canary (best Sicily)
Mixed Bird Seed 20 4 00
Hemp Seed
White Millet 30 4 00
Yellow Millet 15 3 0
English Rape (large-seeded) 20 4 ox
German Rape (small-seeded) 20 4 00
Bird Gravel (for cages) 10 2 00
Rough Rice 15 3 50
Maw, or Poppylb. 30 cts
Bird Lettuce " 50 "
Imperial Egg Food " 50 "
Mocking Bird Foodbottle 40 ''
Song Restorer " 25 "
Prices variable.

FRUIT SEEDS. Apple Seed\$0 30 Gooseberry Seed, Mixed 75 Raspberry Seed, Mixed 50

Strawberry Seed, Mixed 50

VARIOUS SEEDS. Per qt. Bus.	STANDARD FLOWER POTS. Per 100 1,000
Flax Seed	Per 100 1,000 21/4-inch Thumb\$0 80 \$6 50
Sunflower 10 2 25	3- " Gill
Broom Corn	4- " Half-pint 1 75 15 00
Vetches (for pigeons, etc.) 20 2 75	-5- " Pint 2 50 25 00
Per lb.	6-inch Quart 4 00 40 00
Chinese Sugar Cane\$0 25	7- "Three-pint 6 50 60 00
Rural Branching Sorghum	8- " Half-gallon 9 00
Yellow Locust (Robinia) 50	9- " Gallon14 50
Honey Locust	10- " Two gallon20 00
Wheat, Rye, Oats, Barley and Buckwheat; also Tree, Shrub, and Fruit Trees, Sup-	FERTILIZERS.
plied to Order.	Superphosphate of Lime
piled to Order.	Ground Bone
INSECTICIDES.	Bone Meal 44 00
	Potato Fertilizer
Bordeaux Mixture. Made ready for use by	Sheep Manure (pulverized) 32 00
simply adding water. For black-rot, downy mildew and anthracnose of grapes, potato	Nitrate of Soda100 lbs. \$3.50
blight, potato rot, and other fungous dis-	
eases, 10-lb. box (50 gallons wash), \$1.	HODELCHI THE AL DOOKS
Kerosene Emulsion. A paste for plant-lice	HORTICULTURAL BOOKS.
of any kind, cabbage worms, scale insects	American Farm (revised). Allen\$2 50
on apple, pear, orange and other trees,	American Fruit Culture. Thomas 2 00
5-lb. can (makes 50 gallons wash), \$1.	Asparagus Culture. Barnes & Robinson. 50
Ready for use by simply adding water.	Bulbs and Tuberous-rooted Plants.
HAMMOND'S GRAPE-DUST. For the pre-	Allen 2 00
vention and destruction of mildew on	Carnation Culture. Lamborn 1 50
plants. 5-lb. package 35 cts.	Chrysanthemum Culture. Morton 60
Ant Destroyer. A non-poisonous powder,	Fruit Garden, Barry
which will destroy or drive away black	Gardening for Pleasure. Henderson. 1 50
ants from lawns, trees, plants, houses, or	Gardening for Profit. Henderson 2 00
other affected localities. Can 50 cts.	Grape Grower's Guide, Foreign. Charl-
Slug-Shot 5 lbs. 30 cts, 10 lbs. \$0 50	ton
Fir-Tree Oil pt. 75 cts., qt. \$1.25, gal. 4 00	Grape Culturist. Fuller 1 50
Nicotine pt. 1 50	Home Floriculture. Rexford 1 50
London Purplelb. 25	Horticulturist's Rule-Book. Bailey 75
Persian Insect Powder	How Crops Grow. Johnson 2 00
Flowers of Sulphur	Money in the Garden. Quinn 1 50
Pure Paris Green	Mushrooms: How to Grow Them. Falconer 1 50
White Hellebore	Practical Forestry. Fuller 50
Whale-Oil Soap	Practical Floriculture. Henderson I 50
Tobacco Stems	Rose, Treatise on the. Ellwanger 1 25
Tobacco Dust	Small Fruit Culturist. Fuller 1 50
Tobacco Insecticide Soap	The Forcing-Book. Complete instruc-
ROUND SEED OF LUV DAME	tions for all forcing operations. Bailey. 1 00 The Nursery Book. A Complete Guide
ROUND SEED, or LILY PANS. Height Width Per doz.	to Multiplication of Plants. Bailey. 1 oo The Principles of Fruit - Growing.
4 x 6 inches\$1 00	Bailey. Illustrated, 508 pages 1 25
5 x 8 " I 50	Garden-Making. Bailey 1 00
5 X IO " 2 25	Window Gardening. Heinrich 75

5 X I2

... 2 50

New Publications not listed supplied to

order at publisher's prices.

Vegetable Seeds, Etc.

BY POUND, BUSHEL OR BARREL.

Orders for less than Half Bushels and Half Pounds are liable to somewhat higher rates.

DUGII DE ANG	ois und IIun	CARRAGE
BUSH BEANS.	Per bus.	CABBAGE.
Burpee's Bush Lima		Early York, or May\$1 50
Dreer's Bush Lima		Large Early Oxheart 1 50
Extra Early Valentine		Early Flat Dutch, or Summer 2 50
Long Yellow Six Weeks		Early Jersey Wakefield 3 00
Early Mohawk Early China Dwarf	1.00	All-Seasons 2 50
Refugee, or 1,000-to-1	4 00	Henderson's Succession 3 00
Canadian Wonder	5 00	Autumn King 3 00
Wonder of France		Early Winnigstadt I 50
White Kidney, or Royal		Early Dutch, or Drumhead
Red Kidney, or French		Large Late Drumhead
White Marrowfat	4 00	Dwarf Early Ulm Savoy
Dwarf Horticultural	4 50	Large Late Drumhead Savoy 2 00
Valentine Wax	4 50	Red Dutch, or Pickling 2 50
Flageolet Wax	5 00	Trou 2 aron, or richning tree treet 2 gr
Yosemite Mammoth Wax		CARROTS.
Black Wax		Per lb.
Crystal White Wax		Extra Early Forcing\$1 00
Refugee Wax	4 50	Scarlet Carentan (coreless) I 00
Golden Wax Improved		Oxheart, or Guerande 1 00
Wardwell's Kidney Wax	4 00	Early Orange Horn (pointed) 75
POLE, or RUNNING BEA	NS.	Half-long Red Orange (stump-rooted). 1 00
	Per bus.	Danvers Orange (true)
Extra Early Lima	\$7 00	Improved Long Orange 75
Dreer's Improved Lima	7 00	ODY DDY
Large White Lima (extra size)		CELERY. Per lb.
King of the Garden Lima		Early Dwarf White\$2 50
Ford's Mammoth Lima		Early White Plume 4 00
Early Golden Cluster Wax		Boston Market Dwarf White 2 50
White Dutch Case-knife		Perfection Heartwell 2 50
Mont d'Or, or Golden Butter		Giant Pascal 2 00
Giant Red Wax		Large White, or Giant 1 50
Indian Chief (with yellow pods)	6 00	Golden Heart Half Dwarf 2 50
White Dutch Runner		Fin de Siècle 4 co
Scarlet Flowering Runner		Golden Self-blanching 4 00
DDDD		Early Dwarf Red
BEETS.	Per lb.	Turnip-rooted Celery (Erfurt) 2 00
Extra Early Turnip	\$0 75	CHERVIL.
Eclipse Crimson Turnip	60	Per lb.
Early Blood Turnip	60	Curled, or Double\$1 00
Egyptian Blood Turnip	60	
Dewing's Blood Turnip Edmand's Early Blood Turnip	60	SUGAR CORN.
Long Dark Red	7.5	Per bus.
Half-long Dark, or Pear-shaped	75	Extra Early Minnesota\$3 50 Extra Early Cory
Yellow Turnip, or Orange	60	Perry's Hybrid 3 50
Silver Swiss Chard		Crosby's Early 3 50
Victoria Blood Red Swiss Chard		Ne Plus Ultra 3 50
		Triumph Early 3 50
CAULIFLOWER.	Per 1b.	Large Sweet, or Sugar 3 50
Extra Early Paris		Stowell's Evergreen 3 50
Half Early Paris Nonpareil		Egyptian, or Washington Market 3 50
Large Late Algiers		Mammoth Sugar (extra fine) 3 50
Lenormand's Short-stemmed		Sweet Fodder (best for soiling) 3 00
Early London, or Dutch	4 00	Southern Shelled (for fodder) 1 25

CORN SALAD, or FETTICUS.	MUSKMELONS.
Round-leaved Small Seeded\$0 75 Round-leaved Large Seeded75	Early White Japan \$0 75 Early Orange Christina (orange flesh) 75 Large Nutmeg (green flesh) 75
CRESS, or PEPPER GRASS. Per lb. Extra Curled	Delmonico (large; orange flesh) 75 Improved Hackensack 75 Green Citron (netted) 75
Australian, or Golden	Bay View (extra large)
Extra Early Russian	Montreal Market
Early Green Cluster 75 Early Short Green 75 Improved Long Green 75	WATERMELONS. Per lb. Early Mountain Sweet
Green Prolific (pickling)	Icing, or Ice Rind (white-seeded) 75 Phinney's Early 75 Striped Gipsy, or Jackson 75
Everbearing	Black Spanish
EGG-PLANTS. Per lb.	
Early Long Purple \$2 50 Improved New York Purple 4 50 Early Black Pekin 4 00	MUSTARD. Per lb. White, or Yellow \$0 40 Black, or Brown 40
ENDIVE.	NASTURTIUMS. Per lb.
Green Curled Summer \$1 50 White Curled 1 50 French, or Moss Curled 1 50 Broad-leaved 1 50	Tall (Indian Cress) \$1 50 Dwarf (Indian Cress) 1 50
Wild, for flavoring coffee I oo	OKRA. Per lb.
KALE. Green Curled Scotch	Early Dwarf Green \$0 75 Extra Long Green 75 Dwarf White Velvet 75
Hardy Curled Siberian (Winter Sprouts) 60 Spring Sprouts (English) 25	ONIONS. Prices may vary as the season advances. Per lb.
KOHLRABI.	Extra Early Flat Red\$2 50
Early White Vienna	Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00
LEEKS. Large American Flag, or Scotch\$2 00	Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00
Large Carentan 2 00	PARSIFY
LETTUCE. Per lb. Buttercup (fine for forcing) \$1 25 Big Boston (fine for forcing) 1 50	Curled, or Double\$1 00 Champion Moss Curled (extra) 1 00
German Early Head I 50 Golden Stone Head (fine) I 50 Early Egg, or Forcing I 50	Carter's Fern-leaved. 75 Hamburg, or Rooted 75
Simpson's Curled Silesia 1 25	PARSNIPS. Per lb.
Ice Drumhead, or Malta	Long White, or Guernsey \$0 60 Sutton's Student 60
Perpignan Head, or Summer I 25 Salamander, or Satisfaction I 25 White Summer Cabbase	PEPPERS. Per lb.
White Summer Cabbage	Large Squash, or Tomato
White Paris, or Ice Cos	Sweet Spanish (for salad)

Cartier's Firist Crop. Extra Early Daniel O'Rourke. 4 00 Extra Early Mythie Olive-shaped 75 Early Scarlet Olive-shaped 60 Carter's Premium Gem. 4 00 Extra Stremium Furnip Go Extra Stremium Furnip Go Unite Stremium Furnip Go U	PEAS.	Per lb.
Carter's First Crop	Per bus. Bridgeman's Extra Farly	Early Scarlet Turnip \$0 75
Extra Early Juniel O'Rourke. 4 00 Bliss' Everbearing 4 00 Carter's Premium Gem. 4 00 Laxton's Fillbasket. 5 00 Horsford's Market Garden 4 50 Dwarf Champion. 4 50 Abundance (sow thin). 4 50 Abundance	Carter's First Crop	Early Round Dark Red 75
Philadelphia Extra Early	Extra Farly Daniel O'Rourke	White-tipped Scarlet
Bliss' Everbearing	Philadelphia Extra Farly	Golden Olive-shaped
Alaska	Bliss' Everbearing	Early White Olive-shaped
Carter's Premium Gem	Alaska 4 00	Larry Scarlet Olive-snaped 60
Laxton's Fillbasket	Carter's Premium Gem 4 00	Poolsont's Chartier Lang Ded
Horsford's Market Garden		Colden Clabs (fre)
Dwarf Champion	Horsford's Market Garden 4 50	
Abundance (sow thin)	Dwarf Champion 4 50	White Summer Turnin
Pride of the Market 6 oo Vorkshire Hero 4 oo Kentish Invicta 4 oo McLean's Advancer 4 50 Laxton's Alpha 5 oo McLean's Little Gem 4 oo American Wonder 5 oo Carter's Telephone 5 50 Carter's Telephone 5 50 Carter's Stratagem 5 50 Heroine 5 50 McLean's Blue Peter 5 00 Tom Thumb (American) 4 00 About, eyed Marrowfat 3 00 White Marrowfat 3 00 PUMPKINS. Per Ib. Large Cheese, or Pie \$ 60 Mammoth, or Large Tours 1 00 Connecticut Field bus. \$4 POTATOES. Per Ib. Prices may vary as the season advances. About, per bbl. Beauty of Hebron 4 00 Clark's No. 1 4 00 Early Bove 5 50 Early Bove 5 50 Early Puritan 4 00 Cardinal (brilliard 2 50	Abundance (sow thin) 4 50	
Vorkshire Hero.		
Rentish Invicta	Yorkshire Hero 4 00	
White Spanish, or Fall	Kentish Invicta 4 00	Round Black Spanish
Laxton's Alpna	McLean's Advancer 4 50	White Spanish or Fall 60
American Wonder 5 00 Carter's Telephone 5 50 Culverwell's Telegraph 5 50 Culverwell's Telegraph 5 50 Carter's Stratagem 5 50 Heroine 5 00 McLean's Blue Peter 5 00 MoLean's Blue Peter 5 00 Tom Thumb (American) 4 00 Dwarf Blue Imperial 4 00 Champion of England 4 00 Black-eyed Marrowfat 3 00 White Marrowfat 3 00 White Marrowfat 3 00 White Marrowfat 3 00 White Marrowfat 3 00 Connecticut Field 5 06 Mammoth, or Large Tours 1 00 Connecticut Field 5 06 Mammoth, or Large Tours 1 00 Connecticut Field 5 06 Mammoth (American) 5 06 Mammoth (American) 7 07 Marrow 7	Laxton's Alpha 5 00	Scarlet Chinese Winter
Carter's Telephone		Salist chinese it meet that 13
Culverwell's Telegraph	American Wonder 5 00	2.12.000
Carter's Stratagem	Carter's Telephone 5 50	SALSIFY, or OYSTER PLANT.
Mammoth Sandwich Island	Culverwell's Telegraph 5 50	Long White
McLean's Blue Peter	Carter's Stratagem 5 50	Mammoth Sandwich Island
Tom Thumb (American)	Heroine 5 00	Long Black (Scorzonera)
Dwarf Blue Imperial		Bong Black (Scotzonera)
Champion of England		
Black-eyed Marrowfat		SQUASHES.
## PUMPKINS. PUMPKINS. Per lb. Large Cheese, or Pie		Early White Bush\$0.75
Early Golden Bush 75 Summer Crookneck 75 Sum		Early Striped Bush
PUMPKINS.	willte Mallowiat 3 00	
Por Mark Per 1b. So ton Marrow 75	D1114D11110	
Large Cheese, or Pie \$6 60 Mammoth, or Large Tours I 00 Connecticut Field bus. \$4. POTATOES. Prices may vary as the season advances.	PUMPKINS. Per 1b.	
Scarlet Globe Turnip Signature Signa		
Marblehead Marrow 75 Perfect Gem 75 Perfect Gen 75 Perfe	Mammoth, or Large Tours I oo	
POTATOES. Prices may vary as the season advances.	Connecticut Fieldbus. \$4	Marblehead Marrow 75
Mammoth Chili (extra size) 1 50		
English Vegetable Marrow 75	POTATOES.	Winter Crookneck 75
About, per bbl. About, per bl.	Prices may yeary as the season advances	
Beauty of Hebron. \$4 00 ITOMATOES." Per lb. Early Ohio 4 00 Livingston's Perfection \$2 50 Early Rose, or Vermont 4 00 Ignotum 2 50 Early Bovee 5 50 Acme (smooth, dark red) 2 50 Early Puritan 4 00 Acme (smooth, dark red) 2 50 Early Norther 4 00 The Lorillard 2 50 White Elephant (fine late) 4 00 The Lorillard 2 50 Late Beauty of Hebron 4 00 Cardinal (brilliant red) 2 50 White Star 4 00 Livingston's Beauty 2 50 Livingston's Favorite 2 50 Dwarf Champion 2 50 Livingston's Favorite 2 50 <t< td=""><td>About, per bbl.</td><td>English Vegetable Marrow 75</td></t<>	About, per bbl.	English Vegetable Marrow 75
Charles Downing 4 50 Early Ohio 4 00 Early Rose, or Vermont 4 00 Clark's No. I 4 00 Early Bovee 5 50 Early Puritan 4 00 Early Norther 4 00 Early Norther 4 00 White Elephant (fine late) 4 00 Late Beauty of Hebron 4 00 Sir Walter Raleigh 5 50 White Star 4 00 RADISHES. Per lb. Scarlet Globe Turnip \$1 00 Ivingston's Perfection \$2 50 Acme (smooth, dark red) 2 50 The Lorillard 2 50 Cardinal (brilliant red) 2 50 Mikado 2 50 Livingston's Beauty 2 50 Dwarf Champion 2 50 Livingston's Favorite 2 50 <tr< td=""><td>Beauty of Hebron</td><td></td></tr<>	Beauty of Hebron	
Early Oho	Charles Downing 4 50	TOMATOES."
Clark's No. I 4 00 Ignotum 2 50 Early Bovee 5 50 Acme (smooth, dark red) 2 50 Early Puritan 4 00 The Lorillard 2 50 Early Norther 4 00 The Lorillard 2 50 White Elephant (fine late) 4 00 The Trophy (selected) 2 50 Cardinal (brilliant red) 2 50 Mikado 2 50 Mikado 2 50 Livingston's Beauty 2 50 Dwarf Champion 2 50 Livingston's Favorite 2 50 Large Golden Yellow 2 50		rei IU.
Early Bovee 5 50 Early Puritan 4 00 Ponderosa 4 00 Ponderosa 4 00 The Lorillard 2 50 Ponderosa		Ignotum
Early Puritan		Acme (smooth dark red)
The Lorillard 2 50		
The Trophy (selected) 2 50		
Late Beauty of Hebron 4 00 Sir Walter Raleigh 5 50 White Star 4 00 RADISHES. Per lb. Scarlet Globe Turnip \$1 00 Cardinal (brilliant red) 2 50 Mikado 2 50 Livingston's Beauty 2 50 Dwarf Champion 2 50 Livingston's Favorite 2 50 Stone Scarlet 2 00 Large Golden Yellow 2 50		
Mikado 2 50		Cardinal (brilliant red) 2 50
Simulated Rateign 1		
Dwarf Champion 2 50	White Star	
RADISHES. Per 1b. Scarlet Globe Turnip\$1 00 Livingston's Favorite	winte State 4 00	
Scarlet Globe Turnip		Dwarf Champion 2 50
Scarlet Globe Turnip \$1 00 Large Golden Yellow 2 50 French Breakfast 75 Yellow Plum 2 50	DADIGUEG	
French Breaktast	Per lb.	Livingston's Favorite
	Scarlet Globe Turnip	Livingston's Favorite

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates:

Asparagus Roots, Jerusalem Artichoke Tubers, Cauliflower Plants, Cabbage and Celery Plants, Lettuce Plants, Chives and Shallots, Egg-Plants, Pepper Plants, Hop Vine Plants, Horse-radish Sets, Mint and Tarragon Roots, Tomato Plants, Rhubarb Roots, Strawberry Plants, Sweet Potato Plants.

HORTICULTURAL IMPLEMENTS.

Each	Each
Asparagus Knife, English	Knives, Budding, English (See cuts.) . 75 cts. to \$1 25 (See cuts.) \$1 to 2 00
Axe, Handled \$1 to 1 75 Bill Hooks, Socket Switching 2 00	" Grass Edging, English. 10-in 2 00
Yorkshire Strapped . 2 00	Lawn Mowers, Imperial High Wheel: 14-in. cut
Bellows, Powder 1 00 Liquid 2 00	16-in. " 8 50
Liquid 2 00 Dibble, Garden. (See cut.) 50	20-111
Flower Gatherers, English. In 4	Horse Lawn Mowers, Coldwell's Improved: 30-in. cut, complete net, 60 00
sizes	25-in " " 75 00
Flower Pot Brackets 40 cts. to 1 00	40-in. " " " " " " " " " " 90 00 Horse Boots set of four, \$9 .
Fruit Pickers 40 Forks, Spading, Short-handled 1 25	Lawn Weeder, Cleveland 50
" Long-handled . I 25	Mole Traps, Out o' Sight. (See cut.) 1 25
" Manure, Short-handled	Moss, Sphagnum
" Ladies' Weeding, English. (See cut.) 50 cts. to 1 00	" Peat " 2 Pumps, Spraying 1 75 " Acme, Hand Force 5 00
Fumigators, Eureka No. 1 1 50	"Acme, Hand Force 5 00
Bill Hook. " No.2 2 00 No. 3 2 50	Putty Bulb, Elastic
Garden Barrows. No. 1 (boy's) net, 2 75	Plant Labels, Wooden, Pot and Garden:
" No. 2	4-in., painted 100, 15 cts.; 1,000, 75 cts
Garden and Lawn Rollers. Prices net:	
2-sec. 7½-in, tace, 15-in, diam, about 125 lbs 6 oo	6-in., '' 100, 25 cts.; 1,000, \$1.50 . 8-in., '' 100, 50 cts.; 1,000, \$4 . 12-in., '' 100. 65 cts.; 1,000, \$5 .
1-sec., 20-in. " 20-in. " 220 " 10 00 2-sec., 12-in. " 20-in. " 300 " 13 00 3-sec., 12-in. " 20-in. " 450 " 16 50 2-sec., 12-in. " 24-in. " 400 " 15 00	Plant Stande Wire Folding (See cut) 1-sten 2 00
3-sec., 12-in. " 20-in. " " 450 " 16 50	" " (" 2-step . 4 50 3-step . 6 00
Garden Reels, English. 10-in 1 00 Lines. Best braided, 100 ft	Rakes, Cast Steel 50 cts. to 1 00 Wooden Lawn 50
Lines. Best braided, 100 ft	Raffia, For Tying Plants lb., 25 cts
Blackberry Pruner, "	Scissors, Bow Pruning, English 75 cts. to 1 25
Garden Fencis,	" Grape or Thinning. (See cut.). \$1 to 1 50 Shears, Hedge, Pruning Notch, fly nut:
Gardeners' Gloves pair, \$1.50 . Grafting Wax lb., 40 cts .	7½-in., English
Glaziers' Points box of 1,000, 75 cts Grubber, Daisy, English	9-in
Hoes, Draw	Grass Border, English. 9-in 2 75
Hoes, Draw 50 cts. to	" Lawn Surface Cutting 3 25
" Potato or Prong	"Slide Pruning, Wood Handle . \$3.50 to 3 75
Hatchets	" Ladies' Garden
. Box of 6 Tubes, 20 Bands, 1 Pair Pliers, 75	" Sheep
A YY FE	
Ladie	S' Weeding Fork.
A & W	
Dibble Shears.	INDURATE
	FIBRE WAP
Out o' Sight Mole Trap.	
Wire Window Shelf. Wire Folding Plant Stand.	Cut-flower Vase. Columbia Flower Tubs.
Wire Window Shelf. Wire Folding Plant Stand.	

HORTICULTURAL IMPLEMENTS, continued.	Trowels, English Garden 50 cts. to \$1 25
Each	1 ransplanting
Syringes, English. 12½-in. barrel \$4 00	Cleves Angle 20 cts to 25
16¼-in 6 00	Tree Scrapers
" 18½-in. " 7 50 " 18-in. " 7 00	Turfing Iron, or Sod Cutter 4 50
" Reid's Patent 8 00	T D 6 6
64 64 TE 11 T 1	Tree Pruners. 6-11 1 00
	8-ft
	Thermometer Tin Coop
	Thermometers, Tin Case
	Self-registering 2 50
	Hotbed, Brass Tipped 1 50
	Trellis, Fan-shaped 10 cts. to 50
Saws (English), Pruning	Tubs, Columbian Plant. 12-in. diam 1 25
" Socket or Pole 1 00	" " " 15-in. " 1 75
" Double Edge	18-11. " 2 25
Spud, Garden 50	" 2I-in. " 2 75
" With Weeding Hook 50	" " 24-in. " 3 25
	Vases, For Displaying Cut-flowers (see cut):
Thistie	13-in. deep doz., \$4.80 .
Sickles (English) 50 cts. to 75	Io-in. " 4.20
Scythes. Best English \$1.50 to 2 00	9-in. " 3.60 .
	6-in. "
Scythe Snaths 80	4½-in. " 2.40.
" Stones, English	
" Rifles	Watering Pots, Long-spouted. 8-qt 1 50
	12-91, 2 00
Spades, Ames' Short-handled	" Ordinary Green. 10-qt 85
" " Long-handled 1 25	" " " 12-qt I 00
Shovels, "Short-handled	10-41 1 50
" " Long-handled pointed 1 25	20-01 2 00
Sets, Ladies' Garden, English. 27-in 2 25	Weeders, Excelsior Hand
" " 36-in 3 00 45-in 4 00	Noyes'
45-1n 4 00	" Cleveland's Lawn 50
Sprinklers, Rubber	Window Shelves, Wire. (See cut.) 30-in 1 50
" Angle-neck 1 00	36-in 2 00
" Lawn	42-in 2 50



Various Styles of Pruning Knives.

Budding Knives. Pruning Shears.

JR. HAND THE PLANET IMPLEMENTS.

THE PLANET JR. COMBINED DRILL, WHEEL HOE, CULTIVATOR, RAKE AND PLOW. Taken as a whole, this combined tool is the nearest approach to perfection for the uses of a gardener that can well be devised in a single implement. **Price**, \$9.50.

THE PLANET! JR. DOUBLE-WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

The best tool for all who raise onions or garden vegetables on an extensive scale. It does the work of six to ten men with ordinary hand hoes. The leaf-guards allow cultivation of large plants, such as beets, carrots, parsnips, beans and peas. Price, complete, \$6.50.

THE PLANET JR. SINGLE-WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

The tool combines lightness, great strength, variety and adjustability of tools. The rakes and cultivator teeth, in combination with the hoes and plow, enable the operator to perform almost every variety of work, either in field or garden. Price, \$5.

"FIREFLY" WHEEL GARDEN PLOW.

This tool is intended for those who have but small gardens and a moderate amount of time to spend in m. The moldboard is tempered and polished steel. The depth may be changed as desired very quickly. Price, \$2.50.



FLOWER SEEDS.

GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS.

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth. Every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second and sometimes the third year after the seed is sown, and then perish.

Perennials are those plants which live and perpetuate their species throughout many vears successively.

The last two classes are again divided in respect to their endurance of low temperature, as Tender, Half-hardy and Hardy.

Tender Biennials and Perennials are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

Half-hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures.—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable manure, dug in to the depth of about 10 inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing.—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) hardy kinds may be sown in the open ground about the middle of April, half-hardy kinds during the first week of May, and tender kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground control by the season of blooming will be made fully three weeks earlier thereby.

early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing.—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting.—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening: and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The risk and trouble of transplanting may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from 1 to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. The the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (*) denotes climbing plants.

The (") or (—) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which see page 55.

The Third Column shows the color of the flower, abbreviated as follows, viz.:

b.—blue.	cr.—crimson.	l.—light.	r.—red.	sul.—sulphur.
blk.—black.	div.—diverse.	li.—lilac.	ro.—rose.	tri.—three colored.
bord.—bordered.	da.—dark.	mar.—marbled.	sal.—salmon.	v.—violet.
br.—brown.	gn.—green.	or.—orange.	s.—scarlet.	va.—variegated.
bu.—buff.	gol.—golden.	pk.—pink.	spot.—spotted.	w.—white.
car.—carmine.	gy.—gray.	pur.—purple.	stri.—striped.	yel.—yellow.

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz.:

tA.—tender annual.
hhA.—half-hardy annual.
hA.—hardy annual.
hhB.—half-hardy biennial.
hhB.—half-hardy biennial.
hhP.—half-hardy perennial.
hP.—hardy perennial.

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 53.


FLOWER SEEDS.

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.


For Ornamental Grasses, see page 51; Flower Seeds by Weight, page 53; Index of Common Names, etc., pages 55 and 56.

Flower Seeds Forwarded by Mail, Free of Postage, on Receipt of Prices Annexed.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardl- ness.	Price per Paper.
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 05
—grandiflora	Deep Rose	pink	1/2	hhA	10
Abutilon in varieties	Chinese Bell-flower	div.	div.	tP	25
Darwini	Crimson Bell-flower	crim.	4	tP	25
Acacia in varieties	Acacia, Fine Mixed	div.	div.	tP ·	CI
Aconitum napellus	Monk's-hood	blue	2	hP	5
Acroclinium roseum†		rose	I	hhA	5
—album†	White	white	I	hhA	10
—fl. pl.†	Double Rose	rose	I	hhA	10
Adlumia cirrhosa*	Mountain-fringe Vine	pink	IO	hP	IO
Adonis æstivalis	Pheasant's Eye	scarlet	I	hA	5
Ageratum Mexicanum		blue	2	hA	5
nanum		blue	1/2	hA	5
—album	Dwarf White	white	1/2	hA	5
Lasseauxi	Rose-flowered	rose	I	hP	5
Agrostemma coronaria		rose	2	hP	5
—alba		white	I 1/2	hP	5
Alonsoa grandiflora	Alonsoa, Large-flowered	scarlet	I 1/2	- hhA	5
linifolia		l. s.	I	hhA	10
Aloysia citriodora		white	2	hhP	10
Alstræmeria hybrida		div.	2	tP	10
Althæa alba fl. pl	Hollyhock, Double White	white	3	hB	10
coccinea fl. pl	Double Scarlet	scarlet	3	hB	10
rosea fl. pl		rose	3	hB	10
lutea fl. pl	Double Yellow	vellow	3	hB	10
varius fl. pl		div.	div.	hB	10
Collection					
Alyssum maritimum		white	1/2	hA	5
—compacta		white	1/2	hA	5
saxatile		golden	I	hP	5
Amarantus tricolor		tri.	2	tA	5
caudatus†		crim.	3	hhA	5
hypochondriacus†		crim.	3	hhA	5 5
Henderi		div.	3	hA	5
melancholicus		red	3	hhA	5
bicolor ruber	Carmine and Yellow	car.&yl.	2	hhA	5
salicifolius	Fountain Plant	br. &s.	3	hhA	10
nobilis pyramidalis		rose	5	hhA	IO
Collection	See page 52.	1000	0		
Ammobium alatum†		white	I ½	hA	5
Ampelopsis Veitchii*	Japanese Ivy.	green	50	hP	10
Anagallis varius	Pimpernel, Mixed	div.	I	hhA	5
Anchusa capensis		blue	2	hhP	10
Anemone coronaria	Wind-flower	div.	I	hP	5
pulsatilla		violet	I	hP	5
Angelonia grandiflora		blue	I 1/2	tP	15
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5
Antirrhinum nanum album			I 1/2	hP	5
hybridum			I 1/2	hP	5



Botanical Names, etc.	Common Names, etc.	Color.	Height In Feet.	Duration and Hardi- ness.	Price per Paper.
Aquilegia Sibirica	Columbine, Double Violet	violet	I ½	hP	\$0 10
chrysantha	Golden-spurred	yellow	2	hP	10
cœrulea	Large-flowered	b. & w.	2	hP	10
Skinneri	Scarlet and Yellow	sc. & yl.	I 1/2	hP	10
Stuarti	Rich Blue	div	1 1/2	hP	25
varius	Vulgaris and Mixed	div.	2	hP	IC
Arabis alpina	See page 52. Arabis, Sweet-scented	white	3/	hP	10
Arctotis breviscapa	Arctotis, Orange, Dark Center.		3/4 1/2	hhA	IO
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5
speciosa	Yellow	vellow	2 1/2	hA	IC
Aristolochia Sipho*	Dutchman's Pipe Vine	yl.&br.	15	hP	IC
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25
Asclepias tuberosa	Swallow-wort	orange	2	hP	5
Asparagus plumosus nanus*	Ornamental Asparagus	green	8	hP	IC
Asperula azurea setosa	Asperula, Light Blue	blue	I	hA	IC
odorata (Woodruff)	Sweet-scented	white	1/2	hP	10
Aster Chinensis Eugenie	Aster, Imbricated Pompon	div.	2	hA	IC
Comet Rose	Comet	rose	2	hA	IC
—Snow White	White	white	2	hA	IO
Truffaut's White	Pure White	white	I 1/2	hA	10
—Blood Red	Dark Red	red	I 1/2	hA	IO
—Deep Mauve	Plack blue	mauve	I 1/2	hA hA	10
—cœruleus	Black-blue	blue div.	1 1/2	hA	10
—Mixed Ball, or Jewell	Apple-blossom	uiv.	2 2	hA	IC
Snowball, or Princess	Pure White		I ½	hA	10
Branching	Late Blooming	div.	2	hA	25 10
Cocardeau	Crown-flowered	div.	2	hA	10
Washington	Perfection	div.	2	hA	10
Mignon	Pure White Mignon	white	I 1/2	hA	15
—Mixed	Mignon, Mixed	div.	1 1/2	hA	10
Victoria White	Dwarf White	white	I 1/2	hA	10
-Rose	Dwarf Rose	rose	I 1/2	hA	10
—Mixed	Mixed Victoria	div.	2	hA	10
chrysanthemiflorus	Dwarf Bouquet	div.	I	hA	IO
Ried's Mixed	German Quilled	div.	I ½	hA	5
varius	Mixed China	div.	2	hA	_5
tenellus	Biennial Aster	blue	I 1/2	hhB	10
Astragalus caryocarpus	See page 51. Astragalus, Red-fruited	rose	2	hP	IO
Athanasia annua	African Daisy	yellow	I	hA	IO
Aubrietia deltoidea	Rock Plant	lilac	1/2	hP	IO
Azalea indica	Azalea, Fine Mixed	div.	div.	tP	25
Balsamina impatiens rosea	Lady's Slipper, Double Rose.	rose	I 1/2	tP	IO
—kermesina	Double Scarlet	scarlet	I 1/2	tA	10
—albiflora	Double White	white	I 1/2	tA	IO
-violacea	Double Violet	violet	I 1/2	tA	IO
-Victoria	Double Striped	striped	I 1/2	tA	10
-Solferino	Double Spotted	spotted	I 1/2	tA	10
—camelliæflora	Mixed Double	div.	2	tA	10
-varius	Mixed Paris	div.	I 1/2	tA	5
COLLECTIONS	See page 52.	1.1		L.D.	
Baptisia australis	(Polydaria australis)	blue	2	hP	5
Bartonia aureaBegonia hybrida	Golden Bartonia	yellow	I ½	hA tP	5
—fl. pl	Begonia, S'gle Tuberous-rooted Double Tuberous-rooted		2	tP	25
Bellis perennis	Daisy, Finest Double	div.	2	hhP	50 25
-Longfellow	Double Rose.	rose	1/2	hhP	25 25
—alba	Double White	white	1/2	hP	² 5
Belvidere Kochia.	Summer Cypress	yellow	3	hA	5
Bidens atrosanguinea	Dahlia Zimpani		2	hA	10
Bocconia Japonica	Bocconia, Oak-leaved	wnite	6	hP	IO




Botanical Names, etc.	Common Names, etc.	Color.	Height In Feet.	Duration and Hardi- noss.	Price per Paper.
Brachycome in varieties	Daisy, Mixed	div.	3/4	hhA	\$0 10
Browallia elata	Amethyst, Blue	blue	1 1/2	tA	10
alba	White	white	1 1/2	tA	10
Bryonopsis erythrocarpa*	Ornamental-fruited Vine	red	8	tA	10
Cacalia coccinea	Tassel-flower, Scarlet	scarlet	I	hA	5
aurantiaca	Orange	orange	ī	hA	5
Calampelis scaber*	(Eccremocarpus) Vine	orange	10	tA	10
Calandrinia speciosa	Lindley's Calandrinia	red	I	hA	5
—umbellata	Umbel-flowered	crim.	ī	hA	10
Calceolaria hybrida grandiflora		div.	2	tP	
—punctata suberba	Superb Spotted	div.	1 1/2	tP	25 25
rugosa	Finest Shrubby	div.	2	tP	50
scabiosæfolia	Golden Slipperwort	yellow	I 1/2	hA	10
Calendula pluvialis	Marigold, Cape	white		hA	
			1 1/2	hA	5
—officinalis	Double Pot	orange	I		5
—Meteor	Double Pot	golden	I	hA hA	5
—Prince of Orange	New Double Pot	golden	I	hA	5
Calliopsis tinctoria	Coreopsis, Golden	y. & br.	2	hA	5
—coronata	Crowned	spotted	I ½	hA	5
-Golden Wave	Golden Yellow	yellow	I	hA	5
—atrosanguinea	Crimson	crim.	2	hA	IC
lanceolata	Yellow	yellow	3	hP	10
Callirrhoe pedata	Poppy Mallow	red	2	hhA	10
Campanula medium	Canterbury Bell, Blue	blue	2 1/2	hhB	5
—alba	White	white	2 1/2	hhB	5
—in varieties	Single Mixed	div.	2 1/2	hhB	5
—alba fl. pl	Double White	white	2 1/2	hhB	IO
—rosea fl. pl	Double Pink	pink	2	hhB	IO
-varius	Double Mixed	div.	2	hhB	IO
speculum	Venus' Looking-glass	div.	3/4	hA	5
carpatica	Carpathian Bell-flower	div.	1/2	hP	5
pyramidalis	Pyramidal Bell-flower	blue	4	hhP	5
COLLECTION	See page 52.				
Candytuft	See İberis.				
Canna indica	Indian Shot, Scarlet	scarlet	2	hhP	5
Nepalensis	New Yellow	1. & y.	3	hhP	10
Madam Crozy	Scarlet, Yellow Border		3	hhP	10
In varieties	Crozy's Finest	div.	31/2	hhA	10
Cannabis gigantea	Giant Hemp		10	tA	5
Canterbury Bells	See Campanula.				0
Cardiospermum halicaca'm*	Balloon Vine	white	10	tA	5
Carduus benedictus	Ornamental Thistle	yellow	3	hA	10
Carnation	See Dianthus caryophyllus.	J 0110	3		
Castilleja indivisa	Scarlet Castilleja	scarlet	I 1/2	hhA	25
Castor Oil Plant	See Ricinus.	Scarret	1/2		-5
Cedronella cana	Sweet-scented Cedronella	purple	2	hP	IO
Celosia cristata, in varieties†.	Cockscomb, Mixed	div.		tA	
—Japonica†		scarlet	3	tA	5
	New Japan	7	2	tA	
—margaritacea†	Rose-spiked	rose	2	tA	5
—Glasgow Prize†	Purple	purple	3/4	tA	10
aurea pyramidalis†	New Golden	golden	2		
Triomphe d'Exposition†.	Crimson-plumed		3	tP	10
kermesina†	Crimson-feathered	crim.	2	tA	10
COLLECTION	See page 52.	1		la A	
Centaurea moschata	Sweet Sultan, Purple		2	hA	5
—alba	White	white	2	hA	5
suaveolens	Yellow		1 1/2	hA	5
in varieties	Mixed	div.	div.	hA	5
cyanus	Corn-bottle, or Mixed Blue	div.	2	hA	5
—fl. pl	Double Mixed		2	hA	IO
cœruleus	Blue-bottle	blue	2	hA	5
—rosea	Rose	rose	2	hA	5
Americana	Centurea, American		3	hA	5
Zimci icana					



Botanical Names, etc.	Common Names, etc.	Color.	Height In Feet.	Duration and Hardi- ness.	Price per Paper.
Centaurea gymnocarpa	Centaurea, Silver Cut-leaved	purple	1 1/2	hhP	\$0 10
candidissima	White-leaved	white	ľ	hhP	10
Centranthus macrosiphon	Long-tubed Centranthus	pink	I	hA	5
Chamæpeuce diacantha	Spine-leaved Chamæpeuce	var.	2	hP	IC
Cerastium Biebersteinii	Silver-leaved Rock Plant	h	1/2	hP	IC
Cheiranthus cheiri	Wallflower, Bloody	b. & w. div.	2	hhB	5
—fl. pl	German Double Bearded Pentstemon	scarlet	div.	hhB hP	10
Chorizema, in varieties	Finest Mixed	div.	div.	tP	10
Chrysanthemum Dunnetti	Chrysanthemum, Golden	yellow	I	hA	²⁵
W. E. Gladstone	Brilliant Crimson	crim.	I	hA	IC
Lord Beaconsfield	Crimson-edged	crim.	I	hA	10
The Sultan	Maroon, Gold Ring	maro'n	I	hA	IC
venustum	Crimson	crim.	2	hA	5
varius	Double Annual Mixed	div.	div.	hA	5
Japonicum	Finest Perennial	div.	3	hP	25
frutescens	Paris Daisy (Marguerite)	white	I	hA	IC
indicum fl. pl	Chinese Artemisia	div.	div.	hhP	IC
CHOICE COLLECTION	See page 52.	di		+D	
cineraria hybrida grandiflora.	Cineraria, Hybrid	div.	2	tP	25
—nana in varieties	Dwarf Hybrid New Double	div. div.	I TI/	tP	25
flore pleno maritima	Dusty Miller	yellow	I ½ 2	hhP tP	50
Clarkia pulchella	Clarkia, Lilac	lilac	I	hA	IC
pulcherrima	Crimson	crim.	I ½	hA	10
—alba nana	White	white	3/4	hA	IC
varius	Mixed	div.	div.	hA	5
Clematis flammula*	Virgin's Bower	white	10	hP	IC
varius*	Mixed Perennial Clematis	div.	10	hhP	25
Cleome speciosa	Spiderwort or Spider-flower	purple	4	hA	10
Clianthus puniceus*	Glory Vine, Crimson	crim.	6	tP	IO
Dampieri*	Dampier's	scarlet	6	tP	IC
Clintonia pulchella	Clintonia, Blue and White	bl. & w.	1/2	tA	10
—alba	Pure White	white	1/2	tA	10
Cobæa scandens*	Cobæa, Climbing	purple	20	tP	IC
—alba*	White, Climbing	white	IO	tP	15
Coccinea indica*	Scarlet-fruited Gourd	red	6	tA	10
Cockscomb	Fine Mixed Coleus	div.	div.	tP	25
Coleus, in varieties	Collinsia, Two-colored	p. & w.	I I	hA	²⁵ 5
—alba	White	white	ī	hA	5
vera	Sky Blue and White		I	hA	5
varius	Mixed	div.	I	hA	5
Collomia coccinea	Scarlet Collomia	scarlet	I	hA	5
Convolvulus majus albus*	Morning-glory, White	white	10	hA	5
—kermesinus*	Scarlet	scarlet	IO	hA	5
—Imperial Japanese*	Japanese	div.	30	hA	0 1
—varius*	Mixed	div.	IO	hA	5
—azureus superbus*	New Golden	yellow	8	hA	10
mauritanicus	Convolvulus, Bright Blue	benir	tra.	hhP	10
unicaulis	Upright		tra.	hA hA	5
minor albus	Large-flowering		tra.	hA	5
—monstrosus	Mixed Dwarf		tra.	hA	5 5
Coreopsis	See Calliopsis.	CII V .	CICL.	111.1	3
Cornflower	See Centaurea cyanus.				
Coronilla, in varieties	Mixed Coronilla	yellow	div.	tP	25
Cosmidium Burridgeanum	(Cosmidium bicolor)	cr.& br.	2	hA	10
Cosmos bipinnata purpurea	Cosmos, Purple	purple	4	hA	10
—alba	White	white	4	hA	IO
Tints of Dawn	Early-flowering	w.&pk.	4	hA	15
in varieties	Finest Mixed	div.	4 I	hA hA	5

Botanical Names, etc.	Common Names, etc.	Color.	Height In Feet.	Duration and Hardi- ness.	Price per Paper.
Crucianella stylosa	Perennial Rock Plant	pink	1/2	hP	\$0 10
Cucumis flexuosus*	Snake Cucumber		10	tA	, IC
odoratissimus*	Melon Pomegranate	yellow	10	tA	
perennis*	Cucumber Vine		15	tA	10
Cucurbita aurantiaca*	Gourd, Mock Orange	yellow	10	tA	
melopepo*	Apple-shaped	yellow	10	tA	10
massue*lagenaria*	Hercules' Club Bottle	white	IO	tA tA	
Cuphea platycentra	Cigar Plant	tri.	IO	tP	T.
Cyclamen Persicum	Cyclamen, Mixed	w.& ro.	1 1/2	tP	10
—giganteum	Large-flowering	div.	1/2 1/2 6	tP	25
cyclanthera pedata*	Climbing Cucumber	yellow	6	hA	10
ynoglossum linifolium	Venus' Navelwort	white	1/2	hP	
cytisus scoparius	Scotch Broom	yellow	3	hA	10
ahlia nanus in varieties	Dahlia, Single Dwarf	div.	3	hhP	10
Large Double	Double Large-flowering	div.	4	tP	I
atura cornucopia	Double Stramonium	w.&pu.	3	hhA	I
meteloides	Datura, Wright's	y. & li.	2	hA.	I
humilis fl. pl	Double	yellow	2	hhA	I
elphinium ajacis in varieties		div.	I	hA	
consolida in varieties	Mixed Branching	div.	2	hA	
imperialis fl. pl	Annual Double	blue	2	hA	I
Stock-flowered Brunonianum	Musk-scented	r. scar.	1/2	hA hP	I
Zulil	Sulphur Yellow	l. blue	I	hP	2,
Chinensis in varieties	Mixed Chinese	yellow div.	3	hP	I
—formosum	Blue and White	b. & w.	$\frac{2\frac{1}{2}}{2}$	hP	I
—cœlestinum	Celestial Blue	blue	2	hP	I
—album grandiflorum	Pure White	white	2	hP	I
nudicaule	New Scarlet	scarlet	I ½	hP	I
elatum	Mixed Bee	div.	3	hP	
CHOICE COLLECTIONS	See page 52.				
Dianthus Chinensis alba	Indian Pink, Double White	white	3/4	hA.	10
—atrosanguinea	Double Red	red	3/4	hA	I
—varius	Fine Mixed	div.	div.	hA	
—nanus in varieties	Double Dwarf	div.	1/2	hA	10
imperialis fl. pl	Pink, Double Imperial	div.	I	hA	10
—nanus in varieties	Dwarf Crimson	crim.	1/2	hA hA	I
—Heddewigii —albo-marginatus fl. pl.	Mixed Single Japan Mourning Cloak	div.	I	hA	10
—diadematus fl. pl	Diadem (Splendid)	div.	I	hA	I
—laciniatus	Fringed Japan	div.	1 1/2	hA	I
—striatus fl. pl	Striped Japan	div.	I /2	hA	10
deltoides	London Pride or Maiden	pink	3/4	hP	
plumarius	Pheasant's-eye	div.	I	hP	
caryophyllus in varieties.	Carnation Pink, Mixed	div.	2	hhP	10
—flore pleno	Marguerite	div.	I	hhP	I
—nanus	Double Dwarf Vienna	div.	I	hhP	10
—Grenadin fl. pl	Scarlet Compact	scarlet	1 1/2	hhP	2
—perpetual fl. pl	Tree, or Monthly	div.	2	hhP	25
punctatus	Mixed Picotee		2	hhP	25
barbatus in varieties	Sweet-William, Mixed	div.	I	hP	
—flore pleno	Double Mixed	div.	I	hP	10
COLLECTION Dictamnus rubra	See page 52.	rod	т.1/	hP	
	Fraxinella, or Gas-plant	red blue	I ½ 2	hhA	10
Didiscus cœrulea Digitalis alba	(Trachimene Hugelia) Foxglove, White	white		hP	
	Purple	purple	3	hP	5
purpureapunctata	Spotted	spotted	3	hP	5
gloxiniæflora	Gloxinia-flowered	div.	2 1/2	hP	5
in varieties	Mixed	div.	div.	hP	5
Dolichos lablab*	Hyacinth Bean, Purple	purple	10	tA	5
—albus*	White	white	IO	tA	5
Dracæna in varieties	(Cordyline)		div.	tP	

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness,	Price per Paper.
Dracocephalum Canadense	Balm of Gilead	li.& pur	2	hhP	\$0 10
Echeveria in varieties	Fine Mixed Echeveria	div.	div.	tP	25
Echinocystis lobata*	Wild Cucumber	green	15	hhA	10
Epacris hybrida	Mixed Hybrid Epacris	div.	div.	tP	50
Erica in varieties	Fine Mixed Heath	div.	div.	tP	25
Erodium moschatum	Musk Geranium	lilac	3/4	hhP	IO
Eryngium Leavenworthi†	Purple Everlasting-flower	purple	2	hA	IO
Erysimum Peroffskianum	Hedge_Mustard	orange	I	hA	5
Erythrina crista-galli	Coral Plant	scarlet	4	tP	25
Eschscholtzia Californica	Chriseis, Californian	yellow	I	hA	5
—alba	White	white	I	hA	5
—rosea	Rose	rose	I	hA	5
crocea	Orange	orange	I	hA	5
Mandarin	Orange and Scarlet	or.&sc.	I	hA	5
varius	Fine mixed	div.	I	hA	5
Eucalyptus globosus	Fever-and-Ague Plant	1.4	10	tP	IO
Eupatorium Fraseri	White Eupatorium	white	2	hhP	IC
Euphorbia marginata	Snow-on-the-Mountain		3	hhA	5
pandurata	Red-striped	lilac	3	hhA	IC
Eutoca Wrangeliana	Eutoca, Wrangel's	litac	I	tA	5
viscida	Bright Blue	blue	I	tA	5
Fenzlia dianthiflora	Three-colored Fenzlia		1/2	hhA hhP	IO
Ferns in varieties	Fine Mixed Ferns	div.	div.	IIII	25
Forget-me-not	See Myosotis.	div	4:	4D	0.5
Fuschia in varieties	Mixed Fuchsia	div.	div.	tP	25
-Lorenziana	Gaillardia, Painted	cr. & y. div.	I	hhA	10
Gentiana acaulis	Double Mixed Blue Gentian	blue	I 1/2	hhP	IC
Geum coccineum fl. pl	Double Geum	scarlet	1/2	hP hP	
Gilia tricolor	Gilia, Three-colored	3-col.	I ½	hA	5
nivalis alba	Snow White	white	I	hA	5
capitata	Azure Blue	blue	I	hA	5
in varieties	Mixed	div.	I	hA	5
Glaucium rubrum	Horned Poppy, Red	red	I	hhP	10
corniculatum	White-leaved	yellow	ī	hhP	IC
Gloxinia, Emperor Frederick	Gloxinia, Scarlet	scarlet	I	tP	50
in varieties	Finest Mixed	div.	I	tP	25
Godetia, Duchess of Albany	Godetia, White	white	I 1/2	hA	IC
Lady Satin Rose	Brilliant Rose	rose	1 1/2	hA	IC
Lady Albemarle	Dark Crimson	crim.	1 1/2	hA	IC
Gomphrena globosa alba†	Globe Amaranth, White	white	ľ	tA	5
—kermesina†	Crimson	crim.	I	tA	5
—aurea†	Orange	orange	I	tA	5
—nana compacta†	Rich Red	red	1/2	tA	5
in varieties†	Mixed	div.	I	tA	5
Grevillea robusta	Silk Oak.	orange	5	tP	IO
Gypsophila elegans	Gypsophila, White	white	I	hA	5
muralis	Dwarf Rose	rose	1/2	hA	IO
Hedysarum coronarium	French Honeysuckle	r. & w.	2	hB	5
Helianthus annuus	Sunflower, Double Dwarf	yellow	4	hA	5
—Oscar Wilde	Yellow, Dark Center	gol. y.	4	hA	5
-giganteum	Mammoth Russian	yellow	9	hA	5
—centrochlorus fl. pl	Green-centered	y. & gr.	4	hA	5 5 5 5 5 5
—argophyllus fl. pl	Silvery foliage	striped	5	hA	5
cucumerifolius	Cucumber-leaved	yellow	3	hA	5
Helichrysum bracteatum†	Eternal Flower, Yellow	yellow	2	hA	5
—album†	White	white	2	hA	
macranthum†	Pink	pink	2	hA	5
—in varieties†	Mixed Double	div.	2	hA	5
monstrosum fl. pl.†	Mixed Double	div.	2	hA	10
Heliotronium Portugianum	Bright Blue Heliophila	blue	div	hhA	10
Heliotropium Peruvianum	Mixed Heliotrope	div.	div,	tP	10
Helipterum Sandfordi†	Everlasting-flower	gol. y.	I ½	hhA	10




Botanical Names, etc.	Common Names, etc.	Coler.	Height in Foot.	Duration and Hardi- ness.	Price per Paper,
Heuchera sanguinea	Scarlet Alum	crim.	2	hP	\$o 25
Hibiscus Africanus	Bladder Ketmia	bu.&br.	1 1/2	hA	5
Crimson Eye	Marshmallow	wh.&cr.	4	hP	10
militaris	Rose Mallow	rose	4	hP	5
Hollyhock	See Althæa.				
Humea elegans	Amaranth, Feathers	red	6	hhP	10
Humulus Japonicus*	Japan Hop	green	25	hA	10
Iberis amara	Candytuft, White	white	I	hA	5
coronaria	Rocket	white	I	hA	5
odorata	Fragrant	white	3/4	hA hA	5
Dunnettiililacina	Dark Crimson	d. crim. lilac	I 3/	hA	5
Empress	Large White	white	3/4 I	hA	5
nana hybrida	Dwarf Mixed	div.	1/2	hA	10
in varieties	Mixed	div.	I	hA	5
sempervirens	White Perennial	white	ī	hhP	10
COLLECTION	See page 52.				
Impatiens glanduligera	Touch-me-not	red	2	tA	10
-Sultani	Perennial Balsam	scarlet	2	hhP	25
Ipomœa quamoclit*	Cypress Vine, Scarlet	scarlet	10	tA	5
—alba*	White	white	10	tA	5
coccinea*	Star Ipomœa, Scarlet	scarlet	10	hA	5
_lutea*	Two-colored	s. & y.	10	hA	5
Ferrandiana*	Ipomœa, Sky-blue	blue	10	hhA	5
grandiflora alba*	Moon-flower	white	10	tA	10
bona-nox*	Good-night	white	6	tA	5
rubro-cœrulea*	Azure-blue	r. & b.	10	tA	10
varius*	Mixed	div.	div. 8	tA tP	10
Learii*	Blue and Violet Kaulfussia, Blue	b. & v. blue		hA	25
kermesina	Crimson	crim.	I 3/4	hA	5
Kenilworth Ivy	See Linaria.	CI IIII.	74	1171	10
Kennedya in varieties*	Mixed Kennedya	div.	8	tP	25
Lantana in varieties	Mixed Lantana	div.	div.	tP	10
Larkspur	See Delphinium.				
Lathyrus odoratus albus*	Sweet Peas, White	white	5	hA	5
—carneus*	Crown Princess	rose	5	hA	5
-Butterfly*	White and lilac	wh.& li.	5	hA	• 5
—pictus*	Painted Lady		5	hA	5
—coccineus*	Invincible		5	hA	5
—Adonis*	Carmine	car.	5	hA	5
—Miss Blanche Ferry*	Rich red, white striped	nurnle	5	hA hA	5
—purpureus* —niger*	Purple New black	purple black	5	hA	5 5
—Captain Clarke*	Tricolor	3-col.	5	hA	5
—Firefly*	Scarlet; wings crim. scar.		5	hA	5
—Princess Beatrice*	Beautiful rose	rose	5	hA	5
-Countess of Radnor*	Delicate lavender	lav.	5	hA	5
—Primrose*	Pale primrose yellow	yel.	5	hA	5
—Emily Henderson*	Large white	white	5	hA	5
-Katharine Tracy*	Bright pink		5.	hA	5
-Cupid	Dwarf white	white	1/2	hA	IO
—Eckford's*	Hybrid Mixed		5	hA	5
-varius*	Finest Mixed	div.	5	hA	5
latifolius*	Everlasting Peas	rose	5 8	hP hP	5
—albus*	White	white	0	111	10
COLLECTION	See page 52. Lavatera, Red	rod	2	hA	E
Lavatera trimestris Lemon Verbena.	See Aloysia citriodora.	red	2	1121	5
Leptosiphon roseum	Leptosiphon, Rose	rose	I	hA	5
Liatris pycnostachya	Kansas Gay-feather	pink	3	hP	10
Linaria maroccana	Rose Linaria	rose	3/4	hhA	5
bipartita striata	Striped Linaria	div.	I	hA	10
cymbalaria	Kenilworth Ivy	lilac	tra.	hP	10



Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Linum Lewisi variegatum	Flax, Variegated	li. & w.	2	hhA	\$0 IC
grandiflorum rubrum	Crimson	crim.	I	hhA	10
perenne	Perennial	blue	2	hP	10
flavum	Yellow	yellow	3/4	hP	IC
Loasa lateritia*	Orange Loasa Vine		6	tA	IC
obelia gracilis	Lobelia, Slender	1. blue	tra.	hhA	10
—alba	White	white	tra.	hhA	IC
Prima Donna	Maroon	maro'n	1/2	hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	10
—Emperor William	Azure-blue	blue	1/2	hhA	10
—Crystal Palace	Blue		I	hhP	10
—Royal Purple	Deep Blue, White Eye		I	hhP	10
speciosa compacta	Crystal Palace Dwarf	blue	1/2	hhA	2,
Queen Victoria	Scarlet Cardinal Flower	scarlet	2	hP	10
ophospermum in varieties*	Mixed Lophospermum	div.	8	tP	10
unaria biennis in varieties	Honesty, or Satin-flower	br. & w	2	hB	
Lupinus pilosus	Sun Dial, Large Rose	rose	2	hA	
luteus	Yellow	yellow	2	hA	
hirsutus	Large Blue	blue	2	hA	
albus	White	white	2	hA	
hybridus insignis	Dark Red	d. red	2	hA	I
Cruikshankii	Dark Blue		3	hA	
varius	Mixed	div.	div.	hA	
polyphyllus	Mixed Perennial	div.	div.	hP	
ychnis chalcedonica	Lychnis, Scarlet	scarlet	3	hP	
—alba	White	white	3	hP	
Malcolmia maritima	Virginian Stock	red	1/2	hA	
Malope grandiflora	Large-flowered Malope	red	2	hA	
Malva zebrina	Striped Mallow	w.&pur	2	hA	
Marigold	See Tagetes.	The second	_		,
Martynia fragrans	Fragrant Martynia	purple	2	hhA	
Mathiola annua in varieties	Stocks, Ten-Weeks, English	div.	I	hA	
—fl. pl. Mixed	German Large-flowering	div.	I	hA	10
—Snowflake	Double White	white	I	hA	2,
-Cut-and-Come-Again	White Forcing	white	I	hA	I
glabrum albus	Wallflowered-leaved	white	I	hA	I
-coccineus	Scarlet	scarlet	I	hA	I
-varius	Mixed.	div.	I	hA	I
biennis	Buck's StockGilli, Intermediate	scarlet	11/4	hhB	I
—simplicicaulis	White Brompton	white	2	hhB	I
—incarna purpurea	Purple Queen	purple	2	hhB	I
—fl. pl. in varieties	Mixed German Brompton	div.	2	hhB	I
CHOICE COLLECTIONS	See page 52.				
Matricaria eximea	Matricaria, Quilled	white	I	hhB	
—grandiflora	Double White	white	I ½	hhB	
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	10
—rosea*	Rose	rose	8	tA	10
albiflora*	White	white	8	tA	I
varius*	Mixed	div.	8	tA	I
Mesembryanthemum cordifol-					
ium	Ice Plant, Annual	white	1/2	tA	
-variegatum	Variegated foliage	ro. & p.	1/2	hhP	I
glabrum	Dew Plant	red	1/2	hhA	
Mignonette	See Reseda.				
Mimosa pudica	Sensitive Plant	pink	I	tA	
Mimulus moschatus	Musk Plant	yellow	1/2	tA	10
Roezl's	Monkey Flower, Yellow	yellow	1/2	hP	2
cupreus in varieties	Hybrid	div.	í	hP	10
hybridus tigrinus	Mixed Spotted	spot.	3/1	tP	10
—flore pleno	Double Mixed	div.	3/4 3/4	tP	2
Mina lobata*	Mexican Climbing Vine	wh. & r.	15	tA	10
Mirabilis jalapa in varieties	Marvel of Peru, Mixed	div.	2	hA	
—longiflora in varieties	Scented		2	hA	

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Momordica balsamina*	Balsam Apple	yellow	IO	hhA	\$0 05
charantia*	Balsam Pear	yellow	10	hhA	5
Musa Ensete	Abyssinian Banana	y. & br.	IO	tP	25
Myosotis alpestris	Forget-me-not, Alpine	blue	1/2	hhP	IC
-Victoria	Double Blue	blue	1/2 1/2 1/2 3/4	hhP	25
azorica	Dark Blue	blue	1/2	hhP	IC
palustris	Blue and White	b. & W.	3/4	hhP	IC
dissitiflora	Large Blue	blue	I	hhP	IC
Myrsiphyllum asparagoides*	Smilax Vine Broad-leaved Myrtle	green	6	tP tP	IC
Tyrtus communis Tasturtium	See Tropæolum.	white	2	. 11	IC
Temophila discoidalis	Love-grove, Bordered	blk.&w.	3/	hhA	
insignis	Bright Blue	blue .	3/4 1/2 3/4	hhA	
—alba	White	white	3/	hhA	,
maculata	Spotted	div.	3/4	hhA	
in varieties	Mixed	div.	div.	hhA	
Vicotiana affinis	Flowering Tobacco	white	3	hhA	10
Vierembergia gracilis	Graceful Nierembergia	w. & li.	Ĭ	hhP	10
Nigella Damascena	Love-in-a-mist	blue	I	hA	
Volana prostrata	Trailing Nolana	b. & bk.	tra.	hA	
beliscaria pulcherrima	Showy Obeliscaria	cr. & y.	2	hhP	
Enothera biennis	Evening Primrose, Fragrant	yellow	2	hB	
bistorta Veitchii	Spotted	y. & cr.	I	hA	
Lamarckiana	Light Yellow	yellow	3	hB	
Probus niger	Bitter Vetch	purple	I	hA	
Oxalis rosea	Oxalis, Rose	rose	1/2 1/2	hhP	I
delicata	Rosy Salmon	ro.&sal.	1/2	hhP	I
Valdiviensis	New Sweet	yellow	3/4 1/2	hhP	IC
Pansy, or Heart's-ease	Yellow-brown foliage See Viola tricolor.		/2	hhA	IC
	Poppy, Tulip	scarlet	I ½	hA	IC
Papaver glaucum	Double White	white	2	hA	5
coccineum	Double Scarlet	scarlet	2	hA	3
umbrosum	Rich Vermilion, Black Spot	ver.	I ½	hA	
Fairy-blush	Double White, Rose-tipped		2	hA	10
The Shirley	Mixed Single	div.	2	hA	IC
Mikado	Mixed	div.	2	hA	10
ranunculiflorum	Mixed French Double	div.	2	hA	5
Somniferum fl. pl	Mixed Carnation	div.	2	hA	
nudicaule	Iceland Poppy		2	hP	10
Rhœas	Field	div.	I 1/2	hA	5
orientale	Red Asiatic	r. & bl.	2	hhP	IC
croceum	Yellow Asiatic	yellow	I ½	hhP	10
Collection	See page 52.	41.		(D	
Passiflora in varieties*	Mixed Passion Flower	div.	10	tP	IC
Pelargonium zonale	Geranium, Mixed	div.	div.	tP tP	10
—tricolor	Three-colored	pink		tP	25
odoratissimum	Apple-scented Finest Mixed	div.	div.	tP	25
Pentstemon gentianoides	Pentstemon, Bicolor	pur.&w.	2	hhP	10
—cœruleus	Hartweg's	blue	2	hhP	IC
—in varieties	Mixed	div.	2	hhP	IC
Perilla Nankinensis	Ornamental-leaved Perilla	purple	2	hhA	5
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA	
nyctaginiflora	White	white	tra.	hhA	5
striata	Striped	striped	tra.	hhA	10
Countess of Ellesmere	Rose·····	ro. & w.	tra.	hhA	10
yarius	Mixed	div.	tra.	hhA	5
hybrida grandiflora	Finest Mixed	div.	tra.	hhA	25
— —inimitable	Mixed Blotched		tra.	hhA	25
— —nana compacta			1/2	hhA	IC
——aurea	Yellow-throated	vellow	tra.	hhA	25
— — flore pleno	Mixed Double		tra.	hhA	25
	Fringed Double	C1111	tra.	hhA	50

Phaseolus multiflorus*	per	Duration and Hardi- ness.	Height in feet.	Color.	Common Names, etc.	Botanical Names, etc.
Phlox Drummondii, White — white — alba fi, pl. — Double White — White — White — Leopoldiana — Leopoldiana — Pink, White-eyed — white — I hA — Coccinea — Pink, White-eyed — pink — I hA — Coccinea — Pasabellina — Pale yellow — yellow — I hA — Chamois Rose — Light rose. — rose — I hA — Pale yellow — yellow — I hA — Pale yellow — yellow — I hA — Pale yellow — yellow — I hA — Pale Mixed — I hA — Pale yellow — I hA — Pale Mixed — I hA — Pale Mixed — I hA — Pale Mixed — I hA — Pale Mixed — I hA — Pale pale Mixed — I hA — Pale pale pale pale pale pale pale pale p	‡ 0 05	tA	10	scarlet	Scarlet-flowering Bean	Phaseolus multiflorus*
-alba fl. pl. Double White white I hA -coculata White, White-eyed white I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet scarlet I hA -coccinea Deep scarlet Scarlet I hA -coccinea Deep scarlet Scarlet I hA Dear blood-red red I hA Dark red. I hA Dark red. I hA Dear blood-red red I hA Dwarf blood-red red I hA Dwarf blood-red red I hA Dwarf blood-red red I hA Dwarf blood-red red I hA Dwarf blood-red red I hA Dwarf blood-red red I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet Scarlet I hA Heynholdi Boulding Deep scarlet Scarlet	IC			white		
-oculata White Purple-eyed white hA -Leopoldiana Deep scarlet scarlet l hA -Candonis Rose. Deep scarlet scarlet l hA -Chamois Rose. Light rose. rose l hA -Elasek Warrior. Dark red. div. l hA -Elasek Warrior. Dark red. div. l hA -Compacta Dwarf blood-red red ½ hA -compacta Dwarf blood-red red ½ hA -compacta Star of Quedlinburg div. l hA -compacta Star of Quedlinburg div. div. l hA -compacta Star of Quedlinburg div. l hA -compacta Star	IC	hA	I	white		
—Leopoldiana Pink, White-eyed pink I hA Pale vellow yellow I hA Pale yellow yellow I hA Parincess Royal Lilac, white-edged. div. I hA Dark red. I hA Pale yellow I hA Peynoldia Red. I hA Pale yellow	IC	hA	I	white	White, Purple-eyed	
Deep scarlet	IC					
	IC					
-Chamois Rose. Light rose. rose 1 hA -William I Red-striped div I hA -Princess Royal Dark red. I hA -Compacta Dwarf blood-red red //2 hA -varius. Fine Mixed div I hA -Varius. Fine Mixed div I hA -Varius. Fine Mixed div I hA -Varius Graph Graph Graph -Varius Heynholdi Brilliant scarlet scarlet hA -Varius Hydrangea rose I hA -Varius Hydrangea Rose Rose Rose Rose Rose -Varium Hydrangea Rose Rose Rose Rose Rose Rose	IC					—Isabellina
-William I	IC			-		
—Black Warrior. —Princess Royal —Compacta —Compacta —Cuspidata —varius. —Grandiflora —Heynholdi —Brillant scarlet —Star of Quedlinburg. —Grandiflora —Heynholdi —Heynholdi —Brillant scarlet —Scarlet —Gollattron —Collections —See page 52. —See Dianthus —Polycalymma Stuarti† —Bicolor Everlasting —Prince White —Prince White —See Papaver. —Portulaca splendens aurea —Portulaca splendens aurea —Thellusoni —Corresa —Corresa —Corresa —Corresa —Thellusoni —See page 52. —Rose —Corresa —Thellusoni —See Papaver. —Prince —Portulae allatior —Native Heynholdi —Striped —Collections —See page 52. —Prince —Pri	I					
—Princess Royal Lilac, white-edged. div. 1 hA Couppidata Dwarf blood-red red 1/2 hA Star of Quedlinburg. div. 1 hA Star of Quedlinburg. div. 1 hA Giv. 1 hA Hydrangea div. 1 hA Hydrangea rose 1 hA Hortensiæflora Heynholdi Brilliant scarlet scarlet 1 hA hortensiæflora Hydrangea rose 1 hA Hydrangea rose 2 hA Hydrangea rose 3 hA Hydrangea rose 3 hA Hydrangea rose 2 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 4 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrangea 2 rose 3 hA Hydrang	10					
-compacta	10			div.		
-cuspidata Star of Quedlinburg div. I hA -grandiflora Large Mixed div. I hA hortensizeflora Heynholdi Brilliant scarlet scarlet I hA hortensizeflora Hydrangea rose I hA Goldeussata Mixed Perennial div. div. hP COLLECTION See page 52. See Dianthus Californicum California Poppy yellow Jellow Jello	I		,			
-varius. Fine Mixed div. I hA Heynholdi Brilliant scarlet scarlet I hA decussata decussata Mixed Perennial div. hP December De	10					
Heynholdi						
Heynholdi	10					
hortensizeflora decussata . Mixed Perennial . div. div. hP COLLECTION . See page 52. See Dianthus. Californicum . California Poppy . yellow I hA hP Polemonium cœruleum . Jacob's Ladder, Blue . blue White . white ½ hP Polygala, in varieties . See Papaver. Portulaca splendens aurea . Sun Plant, Yellow . yellow . The hA div. Portulaca splendens aurea . Sun Plant, Yellow . yellow . The hA div. Portulaca splendens aurea . Sun Plant, Yellow . yellow . Yel	10					
Mixed Perennial div. div. hP	2	1 1				
Collection Polemonium cceruleum Album Polycalymma Stuarti† Bicolor Everlasting Purple Polygala, in varieties Portulaca splendens aurea Purpureus Purple Purp	I					
Pinks. See Dianthus. California Poppy yellow album Yellow white Yelloyala, in varieties. Fine Mixed Polygala div. tP Analyalis Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Striped div Yellow	10	111	arv.	uiv.	G .	
Palystemon Californicum Collemonium coeruleum Jacob's Ladder, Blue blue ½ hP White white ½ hP White white ½ hP Olygala, in varieties Fine Mixed Polygala div. div. div. div. div. div. div. div.						
Polemonium cceruleum album White White Polycalymma Stuarti† Bicolor Everlasting Poppies Porpulsaca splendens aurea Portulaca splendens aurea Purpureus Purple Purpl		1. 1				
Polygala, in varieties. Portulaca splendens aurea —purpureus —albiflora —albiflora —arrantiaca —rosea —rosea Portentilla, in varieties Portentilla, in varieties Portentilla alba —rosea —elegantissima —fine Mixed Polygala —fine Mixed Polygala —fine Mixed Polygala —fine Mixed Polygala —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Primrose, Purple —fine Mixed —fine Primged —fine Pringed —fine Pringed —fine Pringed —fine Mixed —fine Mixed —fine Mixed —fine Pringed —fine Mixed —fine Primged —fine Pringed —fine Pri					Leable Ledder Dive	
Polygala, in varieties. Portulaca splendens aurea —purpureus —albiflora —albiflora —arrantiaca —rosea —rosea Portentilla, in varieties Portentilla, in varieties Portentilla alba —rosea —elegantissima —fine Mixed Polygala —fine Mixed Polygala —fine Mixed Polygala —fine Mixed Polygala —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Mixed —fine Primrose, Purple —fine Mixed —fine Primged —fine Pringed —fine Pringed —fine Pringed —fine Mixed —fine Mixed —fine Mixed —fine Pringed —fine Mixed —fine Primged —fine Pringed —fine Pri			72			
Polygala, in varieties. See Papaver. See Pap			/2			
Poptilaca splendens aurea —purpureus —albiflora —Thellusoni —aurantiaca —rosea —caryophylloides —varius —flore pleno COLLECTIONS Primula elatior auricula —latior —latior —elegantissima —elegantissima —flore pleno —flicifolia COLLECTION —flore pleno —flicifolia COLLECTION —flore pleno —flicifolia COLLECTION —flore pleno —flicifolia COLLECTION —flore pleno —flicifolia COLLECTION —rosea —elegantissima —flore pleno —flicifolia COLLECTION —rosea —rosea —elegantissima —flore pleno —flicifolia COLLECTION —flicifolia COLLECTION —flicifolia COLLECTION —flicifolia Collection —flicifolia						
Portulaca splendens aurea —purpureus —albiflora —Thellusoni —arrosea —caryophylloides —varius —flore pleno Collections Primula elatior —boconica —elegantissima —elegantissima —flore pleno —elegantissima —flore pleno —flore pleno —flore pleno —cosea —rosea 2	tP	div.	div.			
-purpureus Purple White white ½ hA -albiflora White white ½ hA -Thellusoni Scarlet scarlet ½ hA -aurantiaca Orange orange ½ hA -rosea Rose rose ½ hA -caryophylloides Mixed Single div. ½ hA -flore pleno Mixed Double div. ½ hA Potentilla, in varieties Mixed Potentilla div. ½ hhP Primula elatior Mixed Polyanthus div. ½ hhP auricula Fine Mixed Auricula div. ½ hhP Japonica Primrose, Purple purple I hhP cobconica Everblooming white Yulgaris English Yellow Yellow I -rosea Fringed Rose rose ¼ tP -rosea Fringed Rose rose ¼ tP -rosea Fringed Spotted li. & cr. ¾ -flore pleno Fringed Double div. div. tP -royarius Fringed Single div. div. tP -royarius Fringed Single div. div. tP -roseum Rose-flowered Pyrethrum rose 2 -pyrethrum parthenium Feverfew, Double white rose 1½ hP Reseda odorata Mixed Fern-leaved div. div. tP -grandiflora See page 52. Pyrethrum parthenium Foverfiew Double white I½ hP -grandiflora Golden-leaved yellow 2 -grandiflora Golden-leaved buff I -grandiflora Golden Queen gol. y. I -A -grandiflora aurea Golden Queen gol. y. I -A -Machet. New Dwarf Pot red			.,			
Collections. See page 52. Mixed Potentilla. Mixed Polyanthus. Giv. I hP Primula elatior Mixed Polyanthus. Giv. I hP Appropriate a purple and primose, Purple Obconica. Vulgaris. Vulgaris. —rosea. —elegantissima. —flore pleno. —rosei. —flicifolia. Collection. Collection. Collection. See page 52. Mixed Polyanthus. Giv. I hP Appropriate Auricula. Giv. I hP Primrose, Purple. Everblooming. English Yellow. Fringed Rose. Fringed Rose. Fringed Rose. Fringed Spotted. Fringed Spotted. Fringed Single. Giv. G			1/2			
COLLECTIONS. Potentilla, in varieties Mixed Potentilla Mixed Polyanthus auricula Fine Mixed Auricula Fine Mixed Auricula Fine Mixed Auricula Giv. 4 hhP hPPrimula elatior Mixed Polyanthus Giv. 4 hhP hPPrimula elatior Mixed Polyanthus Giv. 4 hhP hP mixed Auricula Giv. 4 hhP primrose, Purple Everblooming Euglish Yellow Vulgaris Finglish Yellow Finged Rose Fringed Rose Fringed Rose Fringed Spotted Fringed Spotted Fringed Single Giv. Giv. Giv. 4 tP Fringed Spotted Fringed Single Mixed Fern-leaved Giv. Giv. Giv. Giv. Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. HP Fringed Single Mixed Potentilla Mixed Potentilla Mixed Potentilla Mixed Potentilla Mixed Potentilla Fine Mixed Auricula Giv. HP HP HP HP HP HP HP Fringed Rose Fringed Spotted HI Fringed Single Mixed Potentilla Mixed Potentiula Mixed Potentiula Mite 1 hP HP HP HP HP HP HP HP HP HP			1/2			
COLLECTIONS. Potentilla, in varieties Mixed Potentilla Mixed Polyanthus auricula Fine Mixed Auricula Fine Mixed Auricula Fine Mixed Auricula Giv. 4 hhP hPPrimula elatior Mixed Polyanthus Giv. 4 hhP hPPrimula elatior Mixed Polyanthus Giv. 4 hhP hP mixed Auricula Giv. 4 hhP primrose, Purple Everblooming Euglish Yellow Vulgaris Finglish Yellow Finged Rose Fringed Rose Fringed Rose Fringed Spotted Fringed Spotted Fringed Single Giv. Giv. Giv. 4 tP Fringed Spotted Fringed Single Mixed Fern-leaved Giv. Giv. Giv. Giv. Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. HP Fringed Single Mixed Potentilla Mixed Potentilla Mixed Potentilla Mixed Potentilla Mixed Potentilla Fine Mixed Auricula Giv. HP HP HP HP HP HP HP Fringed Rose Fringed Spotted HI Fringed Single Mixed Potentilla Mixed Potentiula Mixed Potentiula Mite 1 hP HP HP HP HP HP HP HP HP HP			1/2	white		
COLLECTIONS. Potentilla, in varieties Mixed Potentilla Mixed Polyanthus auricula Fine Mixed Auricula Fine Mixed Auricula Fine Mixed Auricula Giv. 4 hhP hPPrimula elatior Mixed Polyanthus Giv. 4 hhP hPPrimula elatior Mixed Polyanthus Giv. 4 hhP hP mixed Auricula Giv. 4 hhP primrose, Purple Everblooming Euglish Yellow Vulgaris Finglish Yellow Finged Rose Fringed Rose Fringed Rose Fringed Spotted Fringed Spotted Fringed Single Giv. Giv. Giv. 4 tP Fringed Spotted Fringed Single Mixed Fern-leaved Giv. Giv. Giv. Giv. Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. HP Fringed Single Mixed Fern-leaved Giv. Giv. HP Fringed Single Mixed Potentilla Mixed Potentilla Mixed Potentilla Mixed Potentilla Mixed Potentilla Fine Mixed Auricula Giv. HP HP HP HP HP HP HP Fringed Rose Fringed Spotted HI Fringed Single Mixed Potentilla Mixed Potentiula Mixed Potentiula Mite 1 hP HP HP HP HP HP HP HP HP HP			1/2	scarlet		
COLLECTIONS. Potentilla, in varieties. Mixed Potentilla. Mixed Polyanthus. auricula Fine Mixed Auricula Fine Mixed Auricula Japonica Primrose, Purple Everblooming Fine Mixed Polyanthus Everblooming Fine Mixed Auricula Everblooming Fine Mixed Polyanthus Guiv. ### ### ### ### ### ### ### ### ### #			1/2	orange	Orange	
COLLECTIONS. Potentilla, in varieties. Mixed Potentilla. Mixed Polyanthus. auricula Fine Mixed Auricula Fine Mixed Auricula Japonica Primrose, Purple Everblooming Fine Mixed Polyanthus Everblooming Fine Mixed Auricula Everblooming Fine Mixed Polyanthus Guiv. ### ### ### ### ### ### ### ### ### #		hA	1/2	rose	Rose	-rosea
COLLECTIONS. Potentilla, in varieties Mixed Potentilla div. 1 hP Primula elatior Mixed Polyanthus div. 1/2 hhP pauricula Fine Mixed Auricula div. 1/2 hhP Japonica Primrose, Purple purple I hhP obconica Everblooming white 1/2 tP yulgaris English Yellow yellow I hP fimbriata alba Chinese Primrose, Fringed White 2/4 tP Fringed Rose Pringed Rose Pringed Spotted II. & cr. 3/4 tP Fringed Spotted II. & cr. 3/4 tP Fringed Single div. div. tP Fringed Single div. div. tP Mixed Fern-leaved div. div. tP Mixed Fern-leaved div. div. tP Golden-leaved yellow 2 hhP roseum Rose-flowered Pyrethrum rose 2 hP Reseda odorata Mignonette, Sweet buff I hA Pyramidal rose 1/2 hA Golden Queen gol. y. I hA New Dwarf Pot red II. hA		hA	1/2	div.	Striped	caryophylloides
COLLECTIONS. Potentilla, in varieties. Mixed Potentilla. Mixed Polyanthus. auricula Fine Mixed Auricula Fine Mixed Auricula Japonica Primrose, Purple Everblooming Fine Mixed Polyanthus Everblooming Fine Mixed Auricula Everblooming Fine Mixed Polyanthus Guiv. ### ### ### ### ### ### ### ### ### #		hA	1/2	div.		—varius
Potentilla, in varieties. Mixed Potentilla. auricula elatior Bianchi Primula elatior Auricula Fine Mixed Auricula div. Jupannica Primrose, Purple Dobconica Primrose, Purple Everblooming white Finghish Yellow yellow I have the pour plant of the plant of the	. 10	hhA	1/2	div.	Mixed Double	—flore pleno
Primula elatior auricula Japonica Fine Mixed Auricula Japonica Primrose, Purple Obconica Everblooming Vulgaris English Yellow Fringed Rose Fringed Rose Fringed Spotted Fringed Spotted Fringed Single Fringed Single Fringed Single Fringed Single Fringed Single Fringed Sepage 52 Pyrethrum parthenium Foseum Reseda odorata Mignonette, Sweet Pyramidal Pyramidal Pyramidal Frose Mixed Foreneaved Mignonette, Sweet Duff Frose Mignonette, Sweet Defiance Pyramidal Fred Frose Mixed Polyanthus Adiv. Mixed Fringed Single Mixed Fern-leaved Mix						Collections
Primula elatior auricula Japonica Fine Mixed Auricula Japonica Primrose, Purple Obconica Everblooming Vulgaris English Yellow Fringed Rose Fringed Rose Fringed Spotted Fringed Spotted Fringed Single Fringed Single Fringed Single Fringed Single Fringed Single Fringed Sepage 52 Pyrethrum parthenium Foseum Reseda odorata Mignonette, Sweet Pyramidal Pyramidal Pyramidal Frose Mixed Foreneaved Mignonette, Sweet Duff Frose Mignonette, Sweet Defiance Pyramidal Fred Frose Mixed Polyanthus Adiv. Mixed Fringed Single Mixed Fern-leaved Mix	10	hP	I	div.	Mixed Potentilla	Potentilla, in varieties
auricula Fine Mixed Auricula div. J/2 hhP primrose, Purple purple I hhP primrose, Purple vulgaris English Yellow yellow I hP fimbriata alba Chinese Primrose, Fringed White J/2 tP yellow I hP fimbriata alba Chinese Primrose, Fringed White J/4 tP rosea Fringed Rose Fringed Spotted II. & cr. J/4 tP rosea II. & cr. J/4 tP Fringed Spotted II. & cr. J/4 tP Fringed Double div. div. tP Fringed Single div. div. tP Fringed Single div. div. tP Fringed Single div. div. tP See page 52. Feverfew, Double white IJ/2 hhP roseum Rose-flowered Pyrethrum rose Pyrethrum parthenium Golden-leaved yellow 2 hhP roseum Rose-flowered Pyrethrum rose 2 hP Reseda odorata Mignonette, Sweet buff I hA Pyramidal rose IJ/2 hA Golden Queen. gol. y. I hA A Hen's rose IJ/2 hA New Dwarf Pot red	10	hhP	1/2	div.	Mixed Polyanthus	Primula elatior
obconica	2	hhP	1/2	div.	Fine Mixed Auricula	
vulgaris English Yellow yellow I the Chinese Primrose, Fringed white 74 the Trosea Fringed Rose II. & cr. 34 the Fringed Spotted II. & cr. 34 the Fringed Spotted II. & cr. 34 the Fringed Spotted II. & cr. 34 the Golden-leaved II. & cr. 34 the Golde	10	hhP		purple	Primrose, Purple	Japonica
vulgaris English Yellow yellow I the Chinese Primrose, Fringed white 74 the Trosea Fringed Rose II. & cr. 34 the Fringed Spotted II. & cr. 34 the Fringed Spotted II. & cr. 34 the Fringed Spotted II. & cr. 34 the Golden-leaved II. & cr. 34 the Golde	2	tP	1/2			
fimbriata alba Chinese Primrose, Fringed white 4tProsea Fringed Rose 54 tP 1tProsea Fringed Spotted 6tr. 54 tP 4tProsea 4t tP 4tP	10	hP	I	vellow		
—flore pleno	2		34			
flore pleno	2		3/1			—rosea
flore pleno	50		3/1			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	50		div.			
—filicifolia Mixed Fern-leaved div. tP COLLECTION See page 52. Feverfew, Double white 1½ hhP auratum Golden-leaved yellow 2 hhP roseum Rose-flowered Pyrethrum rose 2 hP Reseda odorata Mignonette, Sweet buff 1 hA —grandiflora Large Sweet buff 1 hA —ameliorata Pyramidal rose 1½ hA —grandiflora aurea Golden Queen gol. y. 1 hA —Defiance Allen's r. & w. 1 hA —Machet New Dwarf Pot red 1 hA	2				Fringed Single	
COLLECTION See page 52. Pyrethrum parthenium Golden-leaved yellow 2 hhP roseum Rose-flowered Pyrethrum rose 2 hP hP roseum Mignonette, Sweet buff I hA buff I hA Large Sweet buff I hA Pyramidal rose I½ hA Golden Queen gol. y. I hA Golden Queen gol. y. I hA New Dwarf Pot red I hA	5					
Pyrethrum parthenium auratum Golden-leaved roseum Reseda odorata. Mignonette, Sweet Mignonette, Sweet Mignorata Pyramidal Pyramidal Pyramidal Pyramidal Pyramidal Mignorette, Sweet Mignorata Puramidal Pyramidal Reseda odorata New Dwarf Pot New Dwarf Pot white 1½ hhP yellow 2 hP hhP hhP hhP hhP hhP hhP hhP hhP hhP	3		CI. V	arv.		
auratum Golden-leaved yellow 2 hhP roseum Rose-flowered Pyrethrum rose 2 hP Rose-flowered Orata buff 1 hA Large Sweet buff 1 hA Pyramidal rose 1½ hA Pyramidal rose 1½ hA Golden Queen gol. y. 1 hA Allen's r. & w. 1 hA New Dwarf Pot red 1 hA	I	hhP	т 1/2	white		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$,			*
Reseda odorata Mignonette, Sweet buff I hA —grandiflora Large Sweet buff I hA —ameliorata Pyramidal rose I½ hA —grandiflora aurea Golden Queen gol. y. I hA —Defiance Allen's r. & w. I hA —Machet New Dwarf Pot red I hA	I				n a .n .	
—grandifloraLarge SweetbuffIhA—ameliorataPyramidalroseI½hA—grandiflora aureaGolden Queengol. y. IhA—DefianceAllen'sr. & w. IhA—MachetNew Dwarf PotredIhA						
—ameliorataPyramidalrose1½hA—grandiflora aureaGolden Queengol. y.IhA—DefianceAllen'sr. & w.IhA—MachetNew Dwarf PotredIhA	1 :					
—grandiflora aureaGolden Queengol. y.IhA—DefianceAllen'sr. & w.IhA—MachetNew Dwarf PotredIhA						
-Defiance Allen's r. & w. I hA -Machet. New Dwarf Pot red I hA	I					
-Machet New Dwarf Pot red I hA						
	I					
	I					
—Gabrielle Robust, large spike red 34 hA	I					
—gigantea Crimson Giant crim. 2 hA						
-Miles' Hybrid New Spiral buff 1½ hA					New Spiral	
eximea Parsons' White white I hA						
Rhodanthe Manglesi† Everlasting-flower, Rose rose I tA maculata† Three-coloredv.r.&bk 2 tA	I	tA	I		Everlasting-flower, Rose	Rhodanthe Manglesit



Botanical Names, etc.	Common Names, etc.	Color.	Height In Feet.	Duration and Hardi- ness.	Price per Paper.
Rhodanthe alba†	Everlasting-flower, White	white	I ½	tA	\$0 10
varius†	Mixed	div.	div.	tA	10
Ricinus sanguineus	Castor Bean, Red		10	tA	5
Borboniensis	Large Green	vio	15	tA.	5
Cambodgensis	New Giant.		10	tA tA	10
Gibsoni	Dark Red	d. red.	4	tA	10
varius	Mixed.	div.	div.	tA	5
Rosa multiflora nana	Rose, Dwarf Perpetual	div.	div.	hP	25
Salpiglossis hybrida	(Salpiglossis grandiflora)	div.	1 1/2	hhA	10
Salvia patens	Salvia, Light Blue	blue	I	tP	25
splendens	Brilliant Scarlet	scarlet	3	tP	10
—compacta erecta	Bonfire	d. scar.	3	tP	15
argentea	Silver-leaved	white	3	hP	10
horminum Sanvitalia procumbens	Purple Clary Sanvitalia, Yellow and Brown	purple	tra.	hA hA	5
—flore pleno	New Double	yellow	tra.	hA	5 5
Saponaria calabrica	Bouncing Bet	pink	I	hA	5
Saxifraga in varieties	Mixed Saxifraga	div.	tra.	hhP	10
Scabiosa candidissima	Mourning Bride, White	white	I ½	hA	- 5
coccinea nana	Carmine	car.	1 1/2	hA	5
Caucasica	Lilac	lilac	2	hP	10
varius	Dwarf Mixed	div.	I	hA	5
Collection	See page 52.			1 1	
Schizanthus Grahami	Schizanthus, Red and Orange.	r. & o.	2	hA	5
Priesti	Pure White	white div.	2	hA hA	5
in varieties Sedum azureum	Stonecrop	yellow	2	hP	5 10
Maximowiczii	New Golden	yellow	1/2 1/2	hP	10
Senecio elegans alba	Jacobæa, White	white	I	tA	5
—purpurea	Purple	purple	I	tA	5
Sensitive Plant	See Mimosa pudica.				
Silene armeria	Catchfly, Lobel's	pink	I 1/2	hA	5
-compacta	Rose-Purple	l. pur.	1/2	hA	5
Solanum melongena	Egg-Plant, White	white	I	tA	5
—coccineum	Scarlet	vollow	3	tA hhP	5
Suworowi	Rose	yellow rose	I	hhP	10
incana hybrida	Hybrid Mixed	div.	1 1/2	hP	10
Stevia serrata	Vanilla-scented Stevia	white	3	tP	10
Stocks	See Mathiola.		3		
Sweet Peas	See Lathyrus.				
Sweet Sultan	See Centaurea.				
Tacsonia ignea*	Passion Flower-like	div.	10	tP	25
Tagetes patula aurea fl. pl	Marigold, Double Golden	yellow	I	hA	5
—striata fl. pl	Double Striped	y. & br.	1 1/2	hA	5
pumila	Cloth of Gold	striped	I ½	hA hA	5
Little Brownie	Single-flowering Yellow	orange y. & cr.	I 1/2	hA	5 5
varius fl. pl	French Double Mixed	div.	1 Z	hA	5
erecta citrina fl. pl	Lemon African.		2	hA	5
—aurantiaca fl. pl		-	2	hA	5
—Nugget of Gold	Golden Yellow African		I 1/2	hA	IO
—El Dorado		div.	2	hA	IO
signati pumila		y. & br.	I	hA	5
COLLECTION	See page 52.	loit-		hk A	
Thunbergia Bakeri*	Thunbergia, Pure White	white	4	hhA	5
aurantiaca*alata*		orange	4	hh A	5
in varieties*	Buff, Dark-eyed	buff.	4	hhA hhA	5
Torenia edentata	Superb Mixed Fournier's New Torenia	w.&pur	4/2	tP	5 25
Tournefortia heliotropioides	Summer Heliotrope	blue	tra.	hhA	10
Trachelium cœruleum	Blue Trachelium	blue	2	hB	10

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Trifolium odoratum	Sweet-scented Clover	white	3	hA	\$0 05
Tropæolum, Tom Thumb King	Nasturtium, Dwarf Carmine	car.	Ĭ	hA	5
— —sulphureum	Dwarf Yellow	yellow	I	hA	5
——Bronze color	Dwarf Bronze	bronze	I	hA	5
——Pearl	Dwarf Blush	cream	I	hA	5
——Rose	Dwarf Rose		I	hA	5
——Ruby King	Dwarf Ruby	red	I	hA	5
— — Golden King	Dwarf Golden	golden	I	hA	5
King Theodore	Dwarf Purple	d. pur.	I	hA	5
——Empress of India	Dwarf Lilliput	div	I	hA	5
— —Lilliput — —varius	Dwarf Lilliput Mixed Tom Thumb(finest)	div.	1/2	hA hA	10
majus Schillingi*	Light Yellow	li. yel.	1 6	hA	5
—The Pearl*	Cream-White	II. yei.	6	hA	5
—Dunnetti*	Bright Orange	orange	6	hA	5 5
—King Theodore*	Dark Crimson	d. cr.	6	hA	5
-atrosanguineum*	Crimson	crim.	6	hA	5
-Madam Gunter Hy-					3
brids*		div.	6	hA	IO
—Lobbianum*	Mixed Perennial	div.	6	tP	IO
—varius*	Mixed Tall (finest)	div.	6	hA	5
—peregrinum*	Canary-bird Flower	yellow	8	hA	10
Choice Collections	See page 52.				
Valeriana in varieties	Mixed Garden Valerian	div.	2	hP	5
Greek	Sweet-scented	white	2	hP	5
Venidium calendulaceum	Orange, Brown Center	1-:4-	I	hhA	IO
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	10
—striata	Italian, Striped	striped	tra.	hhP hhP	10
—coccinea	Bright Scarlet Dark Scarlet	scarlet d. s.	tra.	hhP	IO
—cœrulea	Beautiful Blue	blue	tra.	hhP	10
-Mammoth	Mammoth Mixed	div.	tra.	hhP	10
—in varieties	Finest Mixed	div.	tra.	hhP	IO
—varius	Fine Mixed		tra.	hhP	5
tencroides	White, Sweet	white	tra.	hA	IO
CHOICE COLLECTION	See page 52.				
Veronica Syrica	Dwarf Blue Veronica	blue	1/2	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	w. & ro.	I	tA	IO
—nova	Pure White	white	I	tA	IO
rosea	Rose, Dark-eyed	rose	I	tA	IO
varius	Mixed	div.	I	tA	10
Viola tricolor cœrulea	Pansy, or Heart'sease, Blue	l. b.	1/2	hhP	10
—Bugnot's	Superb strains	div. black	1/2	hhP hhP	25
—Faust —alba	King of the Blacks White	white	1/2 1/2 1/2 1/2 1/2 1/2	hhP	10
-Prince	Yellow	vellow	1/2	hhP	10
-striata	Belgian or Fancy	div.	1/2	hhP	25
-Emperor William	Dark Purple		1/2	hhP	10
—Odier	Five-blotched, extra	div.	1/2 1/2	hhP	25
-Lord Beaconsfield	Violet and Lavender		1/2	hhP	IO
—Mahogany-colored	Reddish Brown		1/2	hhP	IO
—Trimardeau	Extra Large Mixed	div.	1/2 1/2	hhP	25
—maxima, in varieties	Finest Mixed English	div.	1/2	hhP	25
-varius	Fine Mixed	div.	1/2	hhP	IO
Choice Collection	See page 52.	11.		1.1.1)	
Violets, in varieties	Mixed Sweet Violet	div.	1/2	hhP	IO
Viscaria oculata	Rose of Heaven, Pink	pk. & s.	I	hA	5
elegans picta	Painted	cr. & w.	I div	hA hA	5
Wahlanhardia grandiflara	Mixed	div.	div.	hA hhP	5 10
Wahlenbergia grandiflora	Blue Bellflower	blue yellow	I 2	tA	
Waitzia grandiflora† Whitlavia grandiflora	Whitlavia, Violet-blue	blue	I	hA	25 5
TT MALLACTIC ETAILUITUITOLO			•		
-gloxinioides	Gloxinia-like	w. & b.	I	l hA	10

Botanical Names, etc.	Common Names, etc.	Color.	Height In Feet.	Duration and Hardi- ness.	Price per Paper.
Xeranthemum annuum†	Double Purple Double Violet Double Large-flowering Double Carnation, striped Double Mixed Dwarf Double Mixed Double Cone-shaped Mexican Double	white scarlet yellow purple violet div. striped div. div.	2 I	hA hA hA hA hhP hhA hA hA hA hA hA hA hA	\$0 05 5 10 5 25 5 10 10 10 10 10 10 10 10

ORNAMENTAL GRASSES.

Per pkt.	P er pkt
Agrostis pulchella (hA)\$0 10	Coix lachrymæ (Job's-Tears) (hA)\$0 05
Agrostis nebulosa (fine) (hA)	Eragrostis elegans (Love-Grass) (hA) 5
Anthoxanthum gracilis (hhP) 10	Erianthus Ravennæ (hP)
Arundo Donax (hhP)	Eulalia Japonica (hP)
Avena sensitiva (Animated) Oats (hA) 5	Festuca rigida (hP)
Bromus brizæformis (hA) 5	Gynerium sp. (Pampas Grass) (hhP) 10
Briza maxima (Quaking Grass) (hA) 5	Hordeum jubatum (hA)5
Briza gracilis (hA) 5	Lagurus ovatus (Hare's-Tail) (hA) 5
Brizopyrum siculum (hA)5	Setaria macrochæta (hA) 10
Chrysurus aureus (Lamarckia) (hA) 5	Stipa pennata (Feather-Grass) (hP) 10

COLLECTIONS OF FLOWER SEEDS.

German and French Flower Seeds.

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS.

Truffaut's French Pæony-flowered Perfection, 12 distinct varieties\$0 75	Rose-flowered German, extra fine, 8	75
Truffaut's Imbricated Pompon French,	Cocardeau, or Crown (white center),	13
12 varieties	6 varieties	50
New Dwarf Bouquet German (Boltz),	Giant Comet Asters, 6 distinct varieties	75
To varieties	l l l l l l l l l l l l l l l l l l l	75 75
Dwarf Chrysanthemum-flowered Ger-	New Victoria German, 8 distinct va-	, ,
man, 6 varieties 50	rieties	50

BALSAMS.

Miniature or Dwarf German, 10 varieties	Carnation-striped, double, 8 fine varieties			
STOCKS.				
Dwarf German Ten-Weeks, 12 varieties. \$0 75 New Large - flowering Dwarf Ten- Weeks, 12 varieties. 75 Perpetual Emperor, 12 varieties. 75	Wallflower-leaved Ten Weeks, 10 superb varieties			
MISCELLANEOUS	S COLLECTIONS.			
Alpine or Rock Plants, 8 varieties\$0 75 Amarantus (Ornamental Sorts), 8 varieties\$50 Antirrhinum (Snapdragon), 12 varieties\$50 Aquilegia (Columbine), 12 varieties\$50 Begonia, Tuberous-rooted, 6 varieties\$50 Begonia, Tuberous-rooted, 6 varieties\$50 Canna (Dwarf French), 6 varieties\$50 Calliopsis (Coreopsis), 8 varieties\$50 Calliopsis (Coreopsis), 8 varieties\$50 Calliopsis (Coreopsis), 8 varieties\$50 Campanula (Canterbury-bell), 6 varieties\$50 Climbing or Running Plants, 12 varieties Climbing or Running Plants, 12 varieties 50 Climbing or Running Plants, 12 varieties 50 Climbing or Running Plants, 12 varieties 50 Climbing or Running Plants, 12 varieties 60 Dianthus Chinensis (Annual Pinks), 12 varieties	Lupinus (Lupins), 8 varieties			
OUR OWN SELECTION.				

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower, as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

	Packets	of	Annuals,	Biennials	and		best assorted\$8	
100							good assorted 4	
50	"		46				best assorted 4	00
50				"		"	good assorted 2	00
25	"		"	best assor	ted			00
20	"		"	good asso	rtec	1	I	00
12	"		46	best assor	ted		I	00
IO	"		"	good asso	rtec	1		50
12	"		"	new and f	avor	rite kinds	I	50

FLOWER SEEDS BY WEIGHT.

For other varieties, see pages 31 to 51.

Per o	7.	F	Per oz.
Ageratum Mexicanum, blue \$0		Lathyrus (Sweet Peas), White	\$0 2C
	75	" Scarlet	20
Double White I		" Painted Lady	20
	40	" Mixed Finest Per lb., \$1 .	15
	50	Lobelia gracilis, Blue	75
	30	" speciosa, Crystal Palace	I 50
	50	" compacta	3 00
	50	Lupinus (Lupins), Mixed Annual	25
	50	Malcolmia (Virginian Stocks), Lilac	30
"Truffaut's White 2		Mathiola (Stocks, Ten-Weeks), English	
" Blood Red 2		Mixed	75
" cœruleus	75	" Finest Mixed	3 00
" cœruleus	75	Cut-and-Come-rigain, white.	
Balsamina (Balsam) Paris, Mixed	50	Mesembranthemum (Ice Plant)	50
" Camellia-flowered, Mixed 1	00	Mimosa (Sensitive Plant)	75
" Double White	co	Mimulus (Musk Plant)	2 00
Cacalia (Scarlet Tassel Flower)	50	Mirabilis (Marvel of Peru)	25
Calendula officinalis, Meteor	25	Myosotis (Alpine Forget-me-not), Blue	75
" Prince of Orange	25	Myrsiphyllum (Smilax Vine)	75
	30	Nemophila insignis, Blue	30
Canna (Indian Shot), Crozy's Mixed	75	" Fine Mixed	25
Cardiospermum (Balloon Vine) :	25	Papaver (Poppy), French Mixed	30
	75	" (The Shirley)	75
" candidissima	-	Perilla Nankinensis, Purple-leaved	25
Cheiranthus (Wall-flower), Double 3		Petunia, Purple	50
Cobœa scandens, Purple		" White	50
		" Mixed	7.5
	25	" Extra	4 00
	20	Phlox Drummondii, White	I 00
	25	" Scarlet	I 00
Delphinium (Larkspur), Tall Branch-	30	" Fine Mixed	50
	30	Portulaca (Sun Plant), White	50
Dianthus Chinensis (Indian Pink),	30	Scarlet	50
Mixed	50	" Mixed	5 00
" barbatus (Sweet William),		Pyrethrum aureum (Golden Feather).	75
Mixed	50	Reseda (Mignonette, Sw't), per lb., 75c.	
" Carnation Pink, Common		"I arge per lb \$1	20
Mixed	75	" Largeper lb., \$1 . " Giant Pyramidal . per lb., \$1 .	20
Digitalis (Foxglove), Mixed	40	" Machet	60
Dolichos (Hyacinth Bean)	25	Ricinus (Castor Bean), Fine Mixed	15
Eschscholtzia Californica, Orange	40	" sanguineus, Red	25
Euphorbia, Variegated-leaved	40	Salvia splendens (Scarlet Sage)	I 50
alti Ti ari a	30	Scabiosa (Mourning Bride), Mixed	50
Gomphrena (Globe Amaranth),		Tagetes (Marigold), French Mixed	50
White	40	" African Mixed	50
" Crimson	40	Thunbergia Vine, Fine Mixed	50
Helianthus (Sunflower), Double Dwarf	25	Trifolium (Sweet-scented Clover)	20
Hibiscus Africanus (Bladder Ketmia).	25	Tropæolum (Canary-Bird Vine)	50
Iberis (Candytuft), White	25	" Nasturtium, Tall, Mixed.	20
" White Rocket	25	" Tom Thumb, Mixed	20
" Crimson	30		I 00
Empress, Large Wille	60	Verbena, Fine Mixed	2 00
MILKEU	25	Viola (Pansy), Fine Mixed	2 00
	40 30	"Extra Fine Mixed	4 00
" Star	25	Zinnia elegans, Double Mixed	

SEEDS ADAPTED TO GREENHOUSE CULTURE.

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.

Abutilon, in varieties. Acacia, in varieties. Alstræmeria hybrida. Angelonia grandiflora. Azalea Indica. Begonia hybrida. Calceolaria, in varieties. Campanula pyramidalis. Centaurea Clementei. gymnocarpa. Chorizema, in varieties. Cineraria hybrida. Convolvulus mauritanicus. Coronilla, in varieties. Cuphea platycentra. Cyclamen persicum giganteum. Dianthus caryophyllus (Carnation). Dracæna, in varieties. Dracocephalum (Balm of Gilead). Epacris hybrida. Erodium (Musk Geranium). Eupatorium, in varieties. Euphorbia pandurata. Ferns, in varieties. Fuchsia, in varieties. Glaucium corniculatum. Gloxinia, in varieties. Grevillea robusta.

Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomœa Learii. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lophospermum, in varieties. Mathiola (Stock Gilly). Maurandya, in varieties. Mimulus (Monkey-flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower). Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette). Salvia splendens. Senecio, in varieties (Jacobæa). Stevia serrata. Tacsonia ignea. Torenia edentata. Tropæolum Lobbianum, in varieties. Vinca (Madagascar Periwinkle).

USEFUL ORNAMENTAL FOLIAGE-PLANTS.

(Suitable for Borders and Sub-tropical Cardening.)

Amaranthus salicifolius.

" bicolor ruber. tricolor.

"Henderi.
Aquilegia (Columbine).
Bocconia Japonica.
Canna (Indian Shot).

Cannabis gigantea (Giant Hemp).

Carduus benedictus.

Celosia cristata (Cockscomb). Centaurea candidissima.

Cineraria maritima.

Datura meteloides.

Erythrina (Coral Plant). Eryngium Leavenworthi. Euphorbia marginata.

" pandurata.
Glaucium (Horned Poppy).

Helianthus (Russian Sunflower).

" argophyllus.

" centrochlorus fl. pl. Humea elegans.

Liatris (Gay Feather).

Martynia fragrans.

Nicotiana affinis (Tobacco).

Ornamental Grasses.

Perilla Nankinensis.
Pyrethrum aureum.

Musa ensete.

Zea Japonica.

Ricinus (Castor Oil Plant).

Salvia argentea. Solanum coccineum. Statice incana. Trifolium odoratum. Wigandia Vigieri.

ANNUALS, ETC., FOR VASES AND HANGING BASKETS.

Ageratum, in varieties.
Alonsoa, in varieties.
Alyssum maritimum.
Aubrietia deltoidea.
Brachycome (Swan River Daisy).
Calandrinia umbellata.
Callirhoe pedata.
Centaurea candidissima.
Cineraria maritima.

Clintonia elegans.
Convolvulus minor.
"mauritanicus.
Eschscholtzia mandarin.
Fenzlia dianthiflora.
Gilia tricolor, in varieties.
Heliophila Arabioides.
Iberis odorata, in varieties.

Leptosiphon, in varieties.

Linum (Flax).
Loasa lateritia.
Lobelia gracilis, in varieties.
Lophosphermum, in varieties.
Malcolmia (Virginian Stock).
Maurandya, in varieties.
Mimulus (Musk Plant).
" (Monkey-flower).
Nemophila (Love-grove).
Nierembergia gracilis.

Nolana prostrata. Pelargonium, Zonale (Geranium). Petunia, in varieties. Portulaca, in varieties.
Reseda odorata (Mignonette).
Sanvitalia procumbens.
Saponaria (Soapwort).
Saxifraga, in varieties.
Sedum (Stonecrop).
Thunbergia, in varieties.
Tropæolum (Nasturtium).
Verbena, in varieties.
Vinca (Madagascar Periwinkle).
Viola tricolor (Pansy).
Viscaria (Rose of Heaven).
Zinnia Haageana.

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS.

Abronia umbellata.
Ageratum, in varieties.
Alyssum (Sweet Alyssum).
Antirrhinum (Snapdragon).
Aquilegia (Columbine).
Asperula azurea.
Aster Chinensis, and varieties.
Balsamina camelliæflora.
Cacalia (Tassel-flower).
Celosia kermesina.
Centaurea (Sweet Sultan).
" cyanus (Bluebottle).
Centranthus, in varieties.
Chrysanthemum, in varieties.
Clintonia pulchella.
Collinsia, in varieties.
Cynoglossum (Venus' Navelwort).
Dianthus Chinensis (Pinks).

" barbatus (Sweet-william).
" caryophyllus (Carnation).
Delphinium (Larkspur).

Didiscus cœrulea.

Erysimum (Hedge Mustard).

Gilia, in varieties.

Gomphrena (Globe Amaranth).

Gypsophila, in varieties. Heliophila Arabioides. Heliotropium (Heliotrope). Hesperis (Sweet Rocket). Iberis odorata, in varieties. Lathyrus (Sweet Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock). Myosotis (Forget-me-not). Nigella (Love-in-a-mist). Petunia hybrida. Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning Bride). Senecio (Jacobæa). Silene Armeria (Catch-fly). Smilax asparagoides. Tournefortia (Summer Heliotrope). Tropæolum (Nasturtium). Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

INDEX TO COMMON NAMES.

Common Name.	Botanical Name.	Common Name.	Botanical Name.
African Marigold .	Tagetes.	Calomaria	Humea.
African Daisy		Candytuft	Iberis.
Amethyst		Canary-bird Flower .	. Tropæolum.
Animated Oats		Canterbury Bell	
Arabian Primrose .		Cape Marigold	
Armeria		Carnation Pink	Dianthus.
Aster		Cardinal-flower	
Auricula · · ·		Castor Bean	
Balsams		Catch-fly	
Balsam Apple		China Pink	
Balsam Pear		Chinese Bell-flower	
	Dracocephalum.	Chinese Primrose	
	Cardiospermum	Chinese Larkspur	
Banana		Cigar Plant	
Beans			Salvia horminum.
Bearded Pentstemo		Climbing Cucumber .	
	Delphinium.	Clove Pink	
Bladder Ketmia	Hibiscus.	Cockscomb	
Bluebottle		Columbine	
Bell-flower	Campanula.	Coral Plant	
Bouncing Bet	Saponaria.	Cordyline	
Blue Hibiscus	Anoda.	Coreopsis	
	Platystemon.	Cosmos	
- TFJ			

Common Name.	Botanical Name.	Common Name.	Potamical Name
Cowslip			Botanical Name.
Cucumber Vine	Cuomia	Monkey-flower	A amitum
Cypress Vine	. Cucumis.	Monk's-hood	. Aconitum.
		Morning-glory	
Dahlia	. Dallia. Rellic	Mountain Fringe Mourning Bride	Sochioco
Dane's Violet	Hosporis [mum	Musk Geranium	Fradium
Dew Plant	Mesembryontho	Musk Plant	
Dusty Miller	Cineraria	Myrtle	
Dutchman's Pipe		Nasturtium	Troppolum
Eccremocarpus		Ornamental Thistle	Corduna
Egg-plant		Pansy	
Eternal-flower		Passion Flower	
Evening Primrose	CEnothers	Pasque Flower	
Everlasting Peas	Lathurus	Petunia	
Fever-and-Ague Plant.	Eucolyptus	Pheasant's-eye	A donie
Feverfew	Pyrethrum	Pheasant's-eye Pink.	Dianthue
Feather Grass	Stipa	Phlox	
Flax	Linum	Pinks	
Forget-me-not	Myocotic	Polyanthus	
Foxglove		Poppy	
Four-O'clock	Mirabilis	Pot Marigold	Calendula
French Marigold	Tagetes	Primrose	Primula
Gas Plant	Dictamnus	Primrose	Amarantue
Gay-feather	Liatris	Quaking Grass	
Geranium	Pelargonium	Rock Plant	
Gilliflower	Mathiola	Rose, African	
Globe Amaranth	Comphrens	Rose-of-Heaven	· Viscaria
Glory Vine	Clienthus	Rose Campion	Agrostemma
Gourds	Cucurbita	Sage	Salvia
Hawkweed	Crenis	Satin Flower	I unaria
Heartsease	Viola	Scotch Broom	
Heath		Sensitive Plant	
Hedge Mustard	Frysimum	Silk Oak	
Hedgehog	Hedysarum	Slipperwort	
Heliotrope	. Heliotropium.	Smilax	. Myrsiphyllum.
Hollyhock	. Althæa.	Snake Cucumber	. Cucumis.
Honesty		Snapdragon	. Antirrhinum.
Honeysuckle		Sneezewort	
Horned Poppy	. Glaucium.	Spider Flower	. Cleome.
Hyacinth Bean	. Dolichos. [mum.	Stock Gilli	. Mathiola.
Ice Plant	. Mesembryanthe-	Stonecrop	
Immortal-flower	. Xeranthemum.	Stramonium	
Imperial Pink		Sun Dial	
Indian Shot	. Canna.	Sunflower	. Helianthus.
Jacob's Ladder	. Polemonium.	Sun Plant	. Portulaca.
Japan Hop	. Humilis.	Summer Cypress	
Japanese Ivy		Summer Heliotrope	
Japanese Maize	. Zea.	Swallowwort	. Asciepias.
Japan Pink		Swan River Daisy	. Brachycome.
Job's Tears		Sweet Clover	. I rifolium.
Joseph's Coat	. Amarantus.	Sweet Peas	Latnyrus.
Lady's Slipper	. Balsamina.	Sweet Rocket	. Hesperis.
Larkspur	. Delphinium.	Sweet Sultan	Dianthus
Lemon Verbena	. Aloysia.	Sweet-william	
	· ANODOTHUT	Tobacco	
London Pride	Nomonhile	Touch-me-not	Impations
Love-grove	Francis		
Love-grass	Nigotto	Variegated Spurge Venus' Looking-glass .	Componula
Love-in-a-mist		Venus' Navelwort	Cynogloseum
Love-in-a-puff Love-lies-bleeding	Amarantus	Verbena	Verbena
Maiden Pink		Virginian Stock	Malcolmia
Marigold		Virgin's Bower	Clematis
Marvel of Peru	Mirabilis	Wallflower	
Mexican Poppy	Argemone	Wild Cucumber	. Echinocystis
Mignonette		Windflower	
Mock Orange	. Cucurbita.	Youth-and-old-age	
8, , , ,			

BULBS AND TUBEROUS ROOTS.

The following are kept in stock, or supplied to order:

TUREROUS-ROOTED BEGONIAS.

The Tuberous-rooted Begonias are among the handsomest of our summer-flowering bulbs.

Single Finest Mixed. 10 cts. each, \$1 per doz., \$6 per 100.

Double Finest Mixed. 25 cts. each, \$2.50 per doz., \$20 per 100.

GLADIOLUS, FRENCH HYBRID.

Supurb fall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Named Sorts. 15 cts. each, \$1.50 per doz. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

DOUBLE TUBEROSES.

One of the most fragrant and beautiful of summer flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

ASTILBE JAPONICA.

(Spiræa Japonica.)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers'; excellent for forcing. 15 cts. each, \$1.50 per doz.

ASPARAGUS TENUISSIMUS.

One of the grandest acquisitions for decorative purposes. The stems or fronds retain their freshness and rich green color for a long time after being cut. 50 cts. each, \$5 per doz.

AMARYLLIS.

Splendid greenhouse bulbs, and also well suited for house culture.

Atamasco. 20 cts. each, \$2 per doz. Formosissima. 30 cts. each, \$3 per doz. Johnsonii. 75 cts. each. Vitata rubra. 50 cts. each.

CONVALLARIA MAJALIS.

(Lily-of-the-Valley.)

The most charming of spring-flowering plants. Pips, \$2 per 1co; large clumps, 50 cts. each; small clumps, 25 cts. each, \$2.50 per doz.

AMORPHOPHALLUS RIVIERI.

A very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts. each.

CALLA ÆTHIOPICA.

(Lily of the Nile.)

A well-known house plant of easy management. 25 cts. each, \$2.50 per doz.

CALADIUMS, FANCY.

Leaves spotted with various colors in the richest manner; superb for summer decorations.

Distinct Sorts. For pot-culture. 50 cts. each, \$5 per doz.

CALADIUM ESCULENTUM.

One of the most attractive ornamental foliage plants in cultivation. 25 cents. each, \$2.25 per doz.; extra large bulbs, 50 cts. each, \$4.50 per doz.

DWARF FRENCH CANNAS.

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

CYCLAMEN PERSICUM.

Flowers of elegant and distinct shape and delicate colors. Large bulbs, 30 cts. each, \$3 per doz.



Tuberous-rooted Begonias.

DAHLIAS.

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon and Large-flowering. Named sorts, 25 cts. each, \$2.25 per doz.

DIELYTRA SPECTABILIS.

(Bleeding Heart.)

A good companion to *Astilbe Japonica*; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

ERIANTHUS RAVENNÆ.

A fine ornamental grass, similar in habit of growth the Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 to 50 cts. each.

ERYTHRINA CRISTA-GALLI.

(Coral Plant.)

A beautiful tender greenhouse shrub; very ornamental. First size. 50 cts. each, \$4.50 per doz.; second size, 30 cts. each, \$3 per doz.

EULALIA.

Japonica zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white across the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. Very valuable for massing. 75 cts. each. Japonica var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine for parlor ornaments, remaining fresh a long time. 50 cts. each.

FUNKIA (HEMEROCALLIS).

(Day Lily.)

Handsome perennial plants. They are quite hardy, and require a moist soil and shady situation. 30 cts. each, \$3 per doz.

HELIANTHUS MULTIFLORUS PLENUS.

(Double Golden Sunflower.)

Perfectly hardy, and flowering from July until frost. The flowers are of a rich golden yellow, and last a long time after being cut. 20 cts. each, \$2 per doz.

HYACINTHUS CANDICANS.

A magnificent hardy plant, producing in July and August a flower stem about 4 feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers. 10 cts. each, \$1 per doz.

MADEIRA or MIGNONETTE VINE.

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

MANETTIA VINE.

(Manettia bicolor.)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts. each, \$1.50 per doz.

LILIUM.

(Lily.)

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 15 cts. each, \$1.50 per doz.
Candidum. 15 cts. each, \$1.50 per doz.
Lancifolium rubrum. 25 cts. each.
roseum. 25 cts. each.

Tigrinum fl. pl. 25 cts. each. splendens. 25 cts. each.

MYRSIPHYLLUM ASPARAGOIDES.

(Smilax.)

A very graceful climbing plant; can be used either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

PAEONY, HARDY HERBACEOUS.

Large flowers, ranging from the purest white to the richest crimson, and the most attractive. Large roots, 50 cts. each, \$5 per doz.

PAMPAS GRASS.

(Gynerium argenteum.)

A species of grass from South America, growing about 6 feet high, with plumes of yellowish white about 2 feet in length. 30 cts. each, \$3 per doz.

RICHARDIA ALBA MACULATA.

(Summer Calla.)

Has white-spotted leaves and purplish flowers; very ornamenfal. 15 cts. each, \$1.50 per doz.

TIGRIDIA.

(Tiger-flower.)

Extremely handsome, producing many magnificent flowers in the open ground.

Conchiflora. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Pavonia. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

TRITOMA UVARIA GRANDIFLORA.

(Red-hot Poker Plant.)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.

VALLOTTA PURPUREA.

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 50 cts. each, \$5 per doz.



SMALL FRUITS.

FOREIGN GRAPE VINES FOR VINERIES.

I-year-old Vines, \$1; 2-year-old Vines, \$2.

Bowood Museat. Berries very large, of a rich amber color when ripe.

Black Alicante, or Black Tokay. A large, showy black Grape; fine late variety.

Black Barbarossa. Berries round, very large; a late variety.

Buckland Sweetwater. Berries round, large; when ripe, of a pale amber; habit vigorous, and vine a good bearer.

Chasselas de Fontainebleau. Berries round and large, juicy and sweet.

Chasselas, White. Berries round; fair sized bunch.

Charlesworth White Tokay. Berries oval and large; bunch very large, juicy and rich.

Duchess of Buccleugh. Berries round, golden color; an excellent bearer.

Frontignae, White. Berries round, medium size; very rich; a good bearer.

Gros Colman. A handsome Grape; berries and bunches enormous; hangs very late.

Hamburg, Black. Large, sweet and juicy; a well-known and leading variety; very fine.
Lady Downs' Seedling. Berries large, oval, firm, sweet and richly flavored. One of the best late black Grapes.

Madresfield Court. Berries very large, black, and of a rich Muscat flavor; a superb Grape. Mrs. Prince's Muscat. Bunches large; berries medium size, nearly black.

Museat of Alexandria. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Royal Ascot. Black oval berries; fine flavor.

Trentham Black. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. A late black Grape; keeps well.

White Nice. Large bunch, and of very good quality.

HARDY AMERICAN GRAPE VINES.

Agawam. One of the most reliable of the hybrid Grapes; bunches large, berries very large, dark red; ripens with or soon after Concord, and is of peculiar aromatic flavor. 50 cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75 cts. each.
Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor. Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does well everywhere, and is always reliable. 50 cents each.

Concord Chasselas. Early, very large, rich amber; free from foxiness. 75 cents each. Delaware. Early, small, light red; juicy, with very soft pulp; very productive, and requires a rich soil. 50 cents each.

Diana. Late; reddish lilac, juicy and sweet; very vigorous and very good. 35 cts. each. Duchess. Whitish green; berries and bunch medium size; fine flavor. 50 cents each.

Eldorado. A very beautiful Grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cents each.


Elvira. Medium early; pale green, juicy and sweet. 40 cents each.


Hartford Prolific. Extra-early, large and very productive. 50 cents each.


Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.

Niagara. Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cents each.

(59)







Sharpless Strawberry.

HARDY GRAPE-VINES, continued.

Isabella. Medium early; large purplish black; with little pulp. 30 cents each. Lady Washington. White; bunches and berries quite large and of good flavor. 75 cts. Lindley (Rogers' No. 9). Light bronze; berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimae (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cents each. Prentiss. Bunch large; berries of medium size, yellowish green, sometimes tinted rose color. 75 cents each.

STRAWBERRIES.

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten-barnyard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

	Per doz.	TOO
Brandywine (new). Perfect flower. Fruit of large size, quite firm and shapely. Foliage large and thrifty, entirely free from scale or blemish.		100
Season medium to late	\$0 75	\$4 00
Bubach. Pistillate. A leading variety; berries large and handsome; plant of strong growth and exceedingly productive	50	3 50
Charles Downing. Perfect flower. A well-known and popular family berry of fine flavor; the plants do well in most soils and locations		3 50
Cumberland Triumph. Perfect flower. An excellent early variety; berries		
of fine color, large, and of a delicious flavor		3 50
bright crimson color; one of the best and finest late sorts introduced;		4 00
flavor of superior quality		4 00
foliage. Fruit nearly round, of a light red color, and of excellent flavor.	75	4 00
Greenville (new). Pistillate. Plants good, strong, healthy growers, with a compact, dark, rich foliage. Fruit large and firm, of a dark crimson color; quite regular in shape, and ripens evenly. Very productive. Midseason		
to late		3 50
Lovett's Early. A vigorous, healthy grower; fruit large, firm, enormously productive; blossoms perfect	75	3 50
flesh firm, and quality excellent; a great yielder	I 00	5 00

STRAWBERRIES, continued.	Per d	oz.	100
Michigan (new). Perfect flower. Berries handsome and firm, equaling in			
size the Gandy; of high flavor, and ripening to days later; color bright			
crimson, with distinct yellow seeds; plants strong and very prolific	\$1 C	00 9	4 00
Parker Earle. A robust grower, with perfect flowers and good sized fruit			
of fine quality; rather late	7	5	3 50
Sharpless. Perfect flower. Berries very large, solid and of fine flavor;			
plants hardy, very large and vigorous	5	0	3 00
Marshall (new). Bi-sexual. Fruit large and perfect, of a dark, rich crim-			
son color, with large green hull	1 0	00	4 00
Timbrell. Pistillate. The plants are large and strong; foliage of a dark,			
rich, healthy color: the fruit stalks are unusually strong, and hold the fruit			
quite free from the ground. Medium to late	7	7.5	4 00
Van Deman. Perfect flower. The fruit is large, of a dark, glossy crimson.			
and fine quality; ripens extra early, and valuable as a pollenizer for early			
pistillates	5	50	3 00
Wm. Belt. Perfect flower. Fruit conical in shape, of a brilliant glossy red,			
and as near perfection as was ever seen in a berry; ripens very evenly,			
without the green tips. Season medium	IC	00	5 00
RASPBERRIES.			
	Per o	loz.	100
Golden Queen. Large; fruit of a beautiful buff or amber color. One of the			
richest flavored berries	\$1 0	00 .	₿6 oo
Brandywine. Fruit bright red, very firm and fine-flavored; hardy and very			
productive			6 00
Cuthbert. Fruit red, large and sweet; very hardy		00	6 00
Gregg. A new black-cap of the largest size; very productive, and of excel			
lent quality	1 (00	6 00
Loudon. Fruit very large and firm, of fine rich color and flavor; quite hardy.	1 (00	6 00
Miller Red. Berry as large as Cuthbert; color bright red, and ripening very			
early; very productive	Ι (co	6 00
BLACKBERRIES.			
	Per	doz.	100
Erie. Fruit large, firm, sweet and high-flavored; a vigorous grower; per	· #-		#C
fectly hardy	, \$1 (00	\$6 oo
Kittatinny. A stout, erect and vigorous-growing kind; fruit large and delicious			6 00
New Rochelle, or Lawton. Fruit very sweet and delicious when well ripened		00	6 00
Wilson's Early. Very good; large, firm and sweet; hardy and productive	,		_
and one of the earliest in fruit	. I	00	6 00
CURRANTS.			
Cherry. A strong-growing variety; fruit of the largest size, deep red	Per	doz.	100
Cherry. A strong-growing variety; truit of the largest size, deep red	. #1	00	\$6 00
ray's rruning. Very large, and exceedingly productive; bunches of immens	3		_
size; a popular red Currant			6 00
Red Dutch. The most prolific and best flavored of the old red varieties.			6 00
Versailles. Foreign; vigorous grower; fruit of the largest size, dark red.	. І	00	6 00
White Grape. The best white variety; berry large, beautiful, best quality			6 00
Victoria. Late red; of good quality	. I	00	6 00
GOOSEBERRIES.			
	Per	doz.	100
Downing. Pale green; large, prolific and good. Best for both home an	1		
market use	. \$1	00	\$6 00
Houghton's Seedling. Small to medium; fruit oval, pale red; very pro-	-		
ductive and free from rust		00	6 co
Red Jacket. The most prolific and most valuable Gooseberry in America	;		
as large as the largest; berry smooth. Very hardy. Quality best, an	1		
foliage best of any Gooseberry known	. I	50	12 00



ORNAMENTAL SHRUBS AND VINES.

HARDY VINES AND CREEPERS.

Ampelopsis quinquefolia (Virginia or Strawberry Creeper). Leaves crimson in autumn; very strong grower. 50 cents each.

"Veitchii (Japanese Ivy). Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho (Dutchman's Pipe). Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans (Trumpet Creeper). Scarlet flowers in August; handsome. 40 cents each.

" grandiflora. Very large flowers, of a splendid orange color. 50 cents each.

Clematis coccinea. Flowers scarlet; very choice. 75 cents each.

"flammula (Virgin's Bower). White; very fragrant. 50 cents each.

"Jackmanni. Large purple flowers; a great favorite. 75 cents each.

Dolichos Japonicus. A strong-growing large-leaved vine, which for rapidity of growth has no equal; strong plants will run 50 feet in a season. 75 cents each.

Euonymus variegata. The leaves are variegated white and green; a distinct, rapid-growing climbing plant. 40 cents each.

Hedera helix (Evergreen Ivy). Leaves large and luxuriant; a standard vine. 25 to 75 cents each.

'helix tricolor (Tricolor-leaved Ivy). Leaves green, white and rose; very pretty. 50 cents each.

Humulus lupulus (Hop Vine). A rapid grower; very ornamental. 30 cents each.

Hydrangea scandens (Japan Climbing Hydrangea). Leaves dark green; ornamental white flowers. A little tender while young. \$1 each.

Lonicera Belgica (Honeysuckle). Flowers all summer; very fragrant. 50 cents each.

Sinensis (Chinese Honeysuckle). Dark green foliage; one of the best. 50 cts.
 reticulata aurea (Golden-leaved Japan Honeysuckle). Remarkably ornamental, with leaves of a distinct yellow effect. 50 cents each.

Menispermum Canadense (Moon Seed). A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Graeca (Virginia Silk Vine). Foliage long, narrow and shining. 50 cts. each. Wistaria Sinensis (Chinese Blue Wistaria). Flowers pale blue, in June; a superb climber for any place. 75 cents each.

Sinensis alba. The best white variety. \$1 each.

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. alba (Double White-flowering Almond). A beautiful early-flowering shrub. 75 cents each.
fl. pl. rubro. A variety of the preceding with rose-colored flowers. 60 cts.

Andromeda Mariana. A native shrub, blooming about the last of May, bearing beautiful white flowers tinged with red. 50 cents each.

Berberis vulgaris (European Barberry). A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cents each.

' atropurpurea. A purple-leaved variety of the above. 50 cents each.

"Thunbergii (Japan Barberry). Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cents each. DECIDUOUS HARDY SHRUBS, etc., continued.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each.

Calycanthus floridus (Sweet-scented Shrub). Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginica (White Fringe). Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladder-like pods. Very ornamental. 50 cents each.

Cornus florida flore-rubro (Red-flowering Dogwood). A variety of white Dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2 each.

var. pendula (Weeping Dogwood). Its pendulous habit, large white flowers, scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2 each.

" alba sanguinea. Remarkable in winter for the red color of its branches.

50 cents each.

" sanguinea variegata. Having very ornamental green foliage, striped with white during the whole season. 50 cents each.

Corylus (Hazel.) A distinct, very ornamental shrub; the leaves are of a deep, dark red color, almost black. 75 cents each.

Crataegus alba plena (White-flowering Hawthorn). Foliage and flowers very ornamental 75 cents each

mental. 75 cents each.

coccinea fl. pl. Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low-spreading shrub, bearing white flowers. 60 cents each.

Cydonia Japonica earnea fl. pl. (Japan Quince). Flesh-colored double flowers, produced early in spring. 75 cents each.

" rubra grandiflora (Red Japan Quince). Large red flowers; very showy. 50 cents each.

Cytisus laburnum (Golden Chain). Drooping yellow flowers; a handsome small tree. \$1 each.

Daphne eneorum. A choice low-growing bush, bearing its sweet-scented rosy white flowers for several weeks of midsummer. 75 cents each.

Deutzia erenata fl. pl. alba. Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cents each.

" gracilis. Dwarf, compact; pure white. 35 cents each.

'' seabra (Rough-leaved Deutzia). Bearing beautiful white spiral flowers. 50 cents each.

Euonymus Americanus. Shining green foliage, scarlet berries; fine in fall. 50 cts. each.

" latifolius (Burning Bush). Vigorous growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea (Copper Beech). Leaves purple, early in the season. \$1.50 to \$5 each.

"laciniata (Cut-leaved Beech). Cone-shaped and compact; leaves showy. \$1.50

to \$3 each.

Forsythia viridissima (Golden Bell). The best early-flowering shrub. 75 cents each.

Genista scoparius (Scotch Broom). Yellow; flowers in May. 40 cents each.

Hibiscus Syriacus atrorubens (Althæa, or Rose of Sharon). Showy purple flowers.

35 cents each.

" foliis variegatis. Variegated foliage; highly ornamental. 60 cents each.
ydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs

Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in cultivation. 75 cents to \$2 each.

"hortensis. Changeable rose-colored flowers; very popular. 50 cents each.

Itea Virginiea. A very pretty shrub, bearing large erect spikes of white flowers, making a fine appearance for a long time. 50 cents each.

Ligustrum tricolor (Privet). Stands the sun well, and forms a good bush; the leaves are golden yellow, changing to white and green as it develops. 50 cents each.


Lonicera Tatarica (Upright Honeysuckle). Pink flowers in May; handsome. 4oc. each.

"alba. A pretty upright shrub; white flowers in spring. 5oc. each.

Magnolia conspicua. A Chinese tree, producing large white flowers in spring. \$2 to \$5 each.

"Soulangeana. Like above, but flowers are purple and white. \$1.50 to \$5 each.







Weigela.

DECIDUOUS HARDY SHRUBS, etc., continued.

Paeonia Moutan (Tree Pæony). Very large flowers, of gorgeous colors. \$2 to \$3 each. Philadelphus coronarius (Mock Orange, or Syringa). Strong-growing; pure white

Prunus Sinensis (Double White-flowering Plum). Very pretty. 75 cents each.

" myrobalana (Pissardii). A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cents each.

Ribes aureum (Missouri Currant). Shining glabrous leaves; early yellow flowers. 35 cents each.

Rubus cotinus (Purple Fringe, or Smoke Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

"glabra laciniata (Cut-leaved Sumac). Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Salisburia adiantifolia (Maiden-hair Tree). A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1 each.

Spiraea Billardii. Pink-flowered; a late blooming species. 50 cents each.

" prunifolia fl. pl (Plum-leaved Spiræa). Double white flowers. 40 cts. each.

Reevesiana fl. pl. Clusters of double white flowers, early in spring. 50c. each.

Symphoricarpus racemosus (Snowberry). White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris (Common Lilac). Purple, sweet-scented flowers. 50 cents each.

" alba. White, sweet-scented; very delicate. 50 cents each.

"Persica (Persian Lilac). Small-leaved; purple flowers of a different shade. 50 cents each.

Tamarix Africana. Beautiful feathery foliage; makes a fine small tree. 50 cents each.Viburnum plicatum (Double Japan Snowball). Distinct and good; of upright growth, with plaited leaves, and many heads of pure white flowers. 50 to 75 cents each.

Weigela amabilis. Pink flowers; free bloomer. 50 cents each.

"
alba. White; very showy. 50 cents each.

variegata. Beautiful variegated foliage. 50 cents each.

floribunda. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cents each.

Vitex Agnus-castus. A handsome-leaved shrub, bearing panicles of lilac-blue flowers, and the foliage is nicely scented. 50 cents each.

Also supplied to order, all the leading varieties of standard and dwarf Roses, Hardy Perennials, Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.

ALFRED BRIDGEMAN,

37 East Nineteenth St., NEW YORK.

Please forwar	d Seeds, Bulbs, Etc., below named, by	
		mail, express, freight.]
o address below, j	for which I enclose Catalogue price, \$	in
Do not write her	Name Street	
	Town	
······	County State	
QUANTITY.	SEEDS, BULBS, ETC., WANTED	PRICE.



QUANTITY. SEEDS, BULBS, ETC., WANTED. PRICE.

PRICE. SEEES, BULBS, ETC., WANTED. QUANTITY.



Finest Mixed Lawn Grass.

Per qt., 25 cts.; per peck, \$1.25; per bushel, \$4.50.

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns, Cemeteries, etc. These grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

Grass seed may be sown in April or May, and again in September. The ground should be very carefully prepared, and made fine to receive the seed. After the seed is well up, and again at frequent intervals, the lawn should be rolled, which will greatly improve the turf. For other Grass Seeds, see page 28.

Address

ALFRED BRIDGEMAN, 37 E. 19th St., NEW YORK.

